


Description Of The Icon



Aviation Pilot Reamer 航太領先鉸刀



▼▼▼
領先鉸刀
Pilot Reamer

P1 - PR-T P13 - PR-R
P4 - PR-T-D P16 - PR-R-D
P7 - PR-L
P10 - PR-L-D




▼▼▼
氣動領先鉸刀
Pneumatic Pilot Reamer

P19 - PPR
P22 - PPR-D
P25 - PPR-2L
P28 - PPR-2L-D



▼▼▼
斜度直刃螺牙鉸刀
Tapered Straight Flute
Thread Reamer

P31 - PRAD
P33 - PRAD-D




▼▼▼
斜度螺旋螺牙鉸刀
Tapered Helix
Thread Reamer

P35 - PRADH
P37 - PRADH-D



▼▼▼
斜度直刃三面鉸刀
Tapered Straight
Flute Reamer

P39 - PRAS
P41 - PRAS-D




▼▼▼
斜度螺旋三面鉸刀
Tapered Helix Reamer

P43 - PRASH
P45 - PRASH-D



HSS Pilot Reamer

高速鋼領先鉸刀



Order Code	FD	PD	OL	FL	SD	Z	inch
型號	大直徑	小直徑	全長	刃長	柄徑	刃數	
PR4T01250-01100-0	0.1250	0.1100	3.5	0.8750	0.1180	4	
PR4T01285-01120-0	0.1285	0.1120	3.5	0.8750	0.1180	4	
PR4T01360-01190-0	0.1360	0.1190	4.0	1.0000	0.1265	4	
PR4T01405-01240-0	0.1405	0.1240	4.0	1.0000	0.1340	4	
PR4T01406-01240-0	0.1406	0.1240	4.0	1.0000	0.1340	4	
PR4T01440-01280-0	0.1440	0.1280	4.0	1.0000	0.1340	4	
PR4T01470-01280-0	0.1470	0.1280	4.0	1.0000	0.1420	4	
PR4T01495-01350-0	0.1495	0.1350	4.0	1.0000	0.1420	4	
PR4T01520-01350-0	0.1520	0.1350	4.0	1.0000	0.1450	4	
PR4T01540-01400-0	0.1540	0.1400	4.0	1.0000	0.1500	4	
PR6T01562-01400-0	0.1562	0.1400	4.0	1.0000	0.1500	6	
PR6T01570-01430-0	0.1570	0.1430	4.0	1.0000	0.1500	6	
PR6T01590-01460-0	0.1590	0.1460	4.5	1.1250	0.1520	6	
PR6T01610-01460-0	0.1610	0.1460	4.5	1.1250	0.1520	6	
PR6T01610-01510-0	0.1660	0.1510	4.5	1.1250	0.1585	6	
PR6T01695-01530-0	0.1695	0.1530	4.5	1.1250	0.1585	6	
PR6T01719-01550-0	0.1719	0.1550	4.5	1.1250	0.1635	6	
PR6T01730-01560-0	0.1730	0.1560	4.5	1.1250	0.1635	6	
PR6T01770-01600-0	0.1770	0.1600	4.5	1.1250	0.1694	6	
PR6T01800-01650-0	0.1800	0.1650	4.5	1.1250	0.1745	6	
PR6T01820-01650-0	0.1820	0.1650	4.5	1.1250	0.1745	6	
PR6T01850-01710-0	0.1850	0.1710	4.5	1.1250	0.1795	6	
PR6T01875-01710-0	0.1875	0.1710	4.5	1.1250	0.1795	6	
PR6T01890-01760-0	0.1890	0.1760	4.5	1.1250	0.1795	6	
PR6T01910-01760-0	0.1910	0.1760	5.0	1.1250	0.1850	6	
PR6T01935-01760-0	0.1935	0.1760	5.0	1.1250	0.1850	6	
PR6T01960-01790-0	0.1960	0.1790	5.0	1.1250	0.1885	6	
PR6T01990-01870-0	0.1990	0.1870	5.0	1.1250	0.1885	6	

- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

HSS Pilot Reamer

高速鋼領先鉸刀

Order Code	FD	PD	OL	FL	SD	Z	inch
型號	大直徑	小直徑	全長	刃長	柄徑	刃數	
PR6T02010-01870-0	0.2010	0.1870	5.0	1.1250	0.1935	6	
PR6T02031-01870-0	0.2031	0.1870	5.0	1.1250	0.1935	6	
PR6T02040-01900-0	0.2040	0.1900	5.0	1.1250	0.1935	6	
PR6T02055-01900-0	0.2055	0.1900	5.0	1.1250	0.2006	6	
PR6T02090-01900-0	0.2090	0.1900	5.0	1.1250	0.2006	6	
PR6T02130-01980-0	0.2130	0.1980	5.0	1.1250	0.2065	6	
PR6T02188-02020-0	0.2188	0.2020	5.0	1.1250	0.2065	6	
PR6T02210-02050-0	0.2210	0.2050	6.0	1.5000	0.2163	6	
PR6T02280-02120-0	0.2280	0.2120	6.0	1.5000	0.2163	6	
PR6T02340-02180-0	0.2340	0.2180	6.0	1.5000	0.2255	6	
PR6T02344-02180-0	0.2344	0.2180	6.0	1.5000	0.2255	6	
PR6T02380-02200-0	0.2380	0.2200	6.0	1.5000	0.2319	6	
PR6T02420-02270-0	0.2420	0.2270	6.0	1.5000	0.2319	6	
PR6T02460-02340-0	0.2460	0.2340	6.0	1.5000	0.2319	6	
PR6T02500-02340-0	0.2500	0.2340	6.0	1.5000	0.2395	6	
PR6T02570-02410-0	0.2570	0.2410	6.0	1.5000	0.2475	6	
PR6T02610-02450-0	0.2610	0.2450	6.0	1.5000	0.2475	6	
PR6T02656-02490-0	0.2656	0.2490	6.0	1.5000	0.2475	6	
PR6T02660-02490-0	0.2660	0.2490	6.0	1.5000	0.2475	6	
PR6T02720-02560-0	0.2720	0.2560	6.0	1.5000	0.2475	6	
PR6T02770-02650-0	0.2770	0.2650	6.0	1.5000	0.2475	6	
PR6T02810-02650-0	0.2810	0.2650	6.0	1.5000	0.2475	6	
PR6T02812-02650-0	0.2812	0.2650	6.0	1.5000	0.2475	6	
PR6T02900-02780-0	0.2900	0.2780	6.0	1.5000	0.2782	6	
PR6T02950-02800-0	0.2950	0.2800	6.0	1.5000	0.2782	6	
PR6T02969-02800-0	0.2969	0.2800	6.0	1.5000	0.2782	6	
PR6T03020-02890-0	0.3020	0.2890	6.0	1.5000	0.2782	6	
PR6T03125-02960-0	0.3125	0.2960	6.0	1.5000	0.2782	6	
PR6T03160-03010-0	0.3160	0.3010	6.0	1.5000	0.2782	6	
PR6T03230-03120-0	0.3230	0.3120	6.0	1.5000	0.2782	6	
PR6T03281-03120-0	0.3281	0.3120	6.0	1.5000	0.2782	6	
PR6T03320-03120-0	0.3320	0.3120	6.0	1.5000	0.2782	6	
PR6T03390-03270-0	0.3390	0.3270	6.0	1.5000	0.2782	6	
PR6T03438-03270-0	0.3438	0.3270	6.0	1.5000	0.2782	6	
PR6T03480-03310-0	0.3480	0.3310	7.0	1.7500	0.3095	6	
PR6T03594-03430-0	0.3594	0.3430	7.0	1.7500	0.3095	6	
PR6T03680-03570-0	0.3680	0.3570	7.0	1.7500	0.3095	6	
PR6T03750-03590-0	0.3750	0.3590	7.0	1.7500	0.3095	6	
PR6T03770-03590-0	0.3770	0.3590	7.0	1.7500	0.3095	6	
PR6T03860-03590-0	0.3860	0.3590	7.0	1.7500	0.3095	6	
PR6T03906-03760-0	0.3906	0.3760	7.0	1.7500	0.3095	6	
PR6T03970-03850-0	0.3970	0.3850	7.0	1.7500	0.3095	6	
PR6T04040-03900-0	0.4040	0.3900	7.0	1.7500	0.3095	6	
PR6T04062-03900-0	0.4062	0.3900	7.0	1.7500	0.3095	6	
PR6T04130-03900-0	0.4130	0.3900	7.0	1.7500	0.3720	6	
PR6T04219-04050-0	0.4219	0.4050	7.0	1.7500	0.3720	6	
PR6T04375-04210-0	0.4375	0.4210	7.0	1.7500	0.3720	6	
PR6T04531-04370-0	0.4531	0.4370	7.0	1.7500	0.3720	6	
PR6T04688-04520-0	0.4688	0.4520	7.0	1.7500	0.3720	6	
PR6T04844-04680-0	0.4844	0.4680	8.0	2.0000	0.4345	6	



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



HSS Pilot Reamer

高速鋼領先鉸刀

Order Code	FD	PD	OL	FL	SD	inch
						Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6T05000-04830-0	0.5000	0.4830	8.0	2.0000	0.4345	6
PR8T05312-05140-0	0.5312	0.5140	8.0	2.0000	0.4345	8
PR8T05625-05460-0	0.5625	0.5460	8.0	2.0000	0.4345	8
PR8T05938-05610-0	0.5938	0.5610	8.0	2.0000	0.4345	8
PR8T06250-05920-0	0.6250	0.5920	9.0	2.2500	0.5605	8
PR8T06562-06240-0	0.6562	0.6240	9.0	2.2500	0.5605	8
PR8T06875-06550-0	0.6875	0.6550	9.0	2.2500	0.5605	8
PR8T07188-06860-0	0.7188	0.6860	9.0	2.2500	0.5605	8
PR8T07500-07180-0	0.7500	0.7180	9.5	2.5000	0.6230	8
PR8T07812-07490-0	0.7812	0.7490	9.5	2.5000	0.6230	8
PR8T08125-07490-0	0.8125	0.7490	9.5	2.5000	0.6230	8
PR8T08438-08110-0	0.8438	0.8110	9.5	2.5000	0.6230	8
PR8T08750-08430-0	0.8750	0.8430	10.0	2.6250	0.7480	8
PR10T09062-08740-0	0.9062	0.8740	10.0	2.6250	0.7480	10
PR10T09375-09050-0	0.9375	0.9050	10.0	2.6250	0.7480	10
PR10T09688-09360-0	0.9688	0.9360	10.0	2.6250	0.7480	10
PR10T10000-09680-0	1.0000	0.9680	10.5	2.7500	0.8730	10
PR10T10313-10000-0	1.0313	1.0000	10.5	2.7500	0.8730	10
PR10T10625-10300-0	1.0625	1.0300	10.5	2.7500	0.8730	10
PR10T10938-10620-0	1.0938	1.0620	10.5	2.7500	0.8730	10
PR10T11250-10920-0	1.1250	1.0920	11.0	2.8750	0.8730	10
PR10T11562-11240-0	1.1562	1.1240	11.0	2.8750	0.8730	10
PR10T11875-11550-0	1.1875	1.1550	11.0	2.8750	0.9980	10
PR10T12188-11870-0	1.2188	1.1870	11.0	2.8750	0.9980	10
PR12T12500-12170-0	1.2500	1.2170	11.5	3.0000	0.9980	12
PR12T12812-12490-0	1.2812	1.2490	11.5	3.0000	0.9980	12
PR12T13125-12810-0	1.3125	1.2810	11.5	3.0000	0.9980	12
PR12T13438-13120-0	1.3438	1.3120	11.5	3.0000	0.9980	12
PR12T13750-13420-0	1.3750	1.3420	12.0	3.2500	0.9980	12
PR12T14062-13740-0	1.4062	1.3740	12.0	3.2500	0.9980	12
PR12T14375-14060-0	1.4375	1.4060	12.0	3.2500	0.9980	12
PR12T14688-14370-0	1.4688	1.4370	12.0	3.2500	0.9980	12
PR12T15000-14670-0	1.5000	1.4670	12.5	3.5000	1.2480	12




- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀



Order Code	FD	PD	OL	FL	SD	inch Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR4T01250-01100-D	0.1250	0.1100	3.5	0.8750	0.1180	4
PR4T01285-01120-D	0.1285	0.1120	3.5	0.8750	0.1180	4
PR4T01360-01190-D	0.1360	0.1190	4.0	1.0000	0.1265	4
PR4T01405-01240-D	0.1405	0.1240	4.0	1.0000	0.1340	4
PR4T01406-01240-D	0.1406	0.1240	4.0	1.0000	0.1340	4
PR4T01440-01280-D	0.1440	0.1280	4.0	1.0000	0.1340	4
PR4T01470-01280-D	0.1470	0.1280	4.0	1.0000	0.1420	4
PR4T01495-01350-D	0.1495	0.1350	4.0	1.0000	0.1420	4
PR4T01520-01350-D	0.1520	0.1350	4.0	1.0000	0.1450	4
PR4T01540-01400-D	0.1540	0.1400	4.0	1.0000	0.1500	4
PR6T01562-01400-D	0.1562	0.1400	4.0	1.0000	0.1500	6
PR6T01570-01430-D	0.1570	0.1430	4.0	1.0000	0.1500	6
PR6T01590-01460-D	0.1590	0.1460	4.5	1.1250	0.1520	6
PR6T01610-01460-D	0.1610	0.1460	4.5	1.1250	0.1520	6
PR6T01610-01510-D	0.1660	0.1510	4.5	1.1250	0.1585	6
PR6T01695-01530-D	0.1695	0.1530	4.5	1.1250	0.1585	6
PR6T01719-01550-D	0.1719	0.1550	4.5	1.1250	0.1635	6
PR6T01730-01560-D	0.1730	0.1560	4.5	1.1250	0.1635	6
PR6T01770-01600-D	0.1770	0.1600	4.5	1.1250	0.1694	6
PR6T01800-01650-D	0.1800	0.1650	4.5	1.1250	0.1745	6
PR6T01820-01650-D	0.1820	0.1650	4.5	1.1250	0.1745	6
PR6T01850-01710-D	0.1850	0.1710	4.5	1.1250	0.1795	6
PR6T01875-01710-D	0.1875	0.1710	4.5	1.1250	0.1795	6
PR6T01890-01760-D	0.1890	0.1760	4.5	1.1250	0.1795	6
PR6T01910-01760-D	0.1910	0.1760	5.0	1.1250	0.1850	6
PR6T01935-01760-D	0.1935	0.1760	5.0	1.1250	0.1850	6
PR6T01960-01790-D	0.1960	0.1790	5.0	1.1250	0.1885	6
PR6T01990-01870-D	0.1990	0.1870	5.0	1.1250	0.1885	6



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀

Order Code	FD	PD	OL	FL	SD	inch Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6T02010-01870-D	0.2010	0.1870	5.0	1.1250	0.1935	6
PR6T02031-01870-D	0.2031	0.1870	5.0	1.1250	0.1935	6
PR6T02040-01900-D	0.2040	0.1900	5.0	1.1250	0.1935	6
PR6T02055-01900-D	0.2055	0.1900	5.0	1.1250	0.2006	6
PR6T02090-01900-D	0.2090	0.1900	5.0	1.1250	0.2006	6
PR6T02130-01980-D	0.2130	0.1980	5.0	1.1250	0.2065	6
PR6T02188-02020-D	0.2188	0.2020	5.0	1.1250	0.2065	6
PR6T02210-02050-D	0.2210	0.2050	6.0	1.5000	0.2163	6
PR6T02280-02120-D	0.2280	0.2120	6.0	1.5000	0.2163	6
PR6T02340-02180-D	0.2340	0.2180	6.0	1.5000	0.2255	6
PR6T02344-02180-D	0.2344	0.2180	6.0	1.5000	0.2255	6
PR6T02380-02200-D	0.2380	0.2200	6.0	1.5000	0.2319	6
PR6T02420-02270-D	0.2420	0.2270	6.0	1.5000	0.2319	6
PR6T02460-02340-D	0.2460	0.2340	6.0	1.5000	0.2319	6
PR6T02500-02340-D	0.2500	0.2340	6.0	1.5000	0.2395	6
PR6T02570-02410-D	0.2570	0.2410	6.0	1.5000	0.2475	6
PR6T02610-02450-D	0.2610	0.2450	6.0	1.5000	0.2475	6
PR6T02656-02490-D	0.2656	0.2490	6.0	1.5000	0.2475	6
PR6T02660-02490-D	0.2660	0.2490	6.0	1.5000	0.2475	6
PR6T02720-02560-D	0.2720	0.2560	6.0	1.5000	0.2475	6
PR6T02770-02650-D	0.2770	0.2650	6.0	1.5000	0.2475	6
PR6T02810-02650-D	0.2810	0.2650	6.0	1.5000	0.2475	6
PR6T02812-02650-D	0.2812	0.2650	6.0	1.5000	0.2475	6
PR6T02900-02780-D	0.2900	0.2780	6.0	1.5000	0.2782	6
PR6T02950-02800-D	0.2950	0.2800	6.0	1.5000	0.2782	6
PR6T02969-02800-D	0.2969	0.2800	6.0	1.5000	0.2782	6
PR6T03020-02890-D	0.3020	0.2890	6.0	1.5000	0.2782	6
PR6T03125-02960-D	0.3125	0.2960	6.0	1.5000	0.2782	6
PR6T03160-03010-D	0.3160	0.3010	6.0	1.5000	0.2782	6
PR6T03230-03120-D	0.3230	0.3120	6.0	1.5000	0.2782	6
PR6T03281-03120-D	0.3281	0.3120	6.0	1.5000	0.2782	6
PR6T03320-03120-D	0.3320	0.3120	6.0	1.5000	0.2782	6
PR6T03390-03270-D	0.3390	0.3270	6.0	1.5000	0.2782	6
PR6T03438-03270-D	0.3438	0.3270	6.0	1.5000	0.2782	6
PR6T03480-03310-D	0.3480	0.3310	7.0	1.7500	0.3095	6
PR6T03594-03430-D	0.3594	0.3430	7.0	1.7500	0.3095	6
PR6T03680-03570-D	0.3680	0.3570	7.0	1.7500	0.3095	6
PR6T03750-03590-D	0.3750	0.3590	7.0	1.7500	0.3095	6
PR6T03770-03590-D	0.3770	0.3590	7.0	1.7500	0.3095	6
PR6T03860-03590-D	0.3860	0.3590	7.0	1.7500	0.3095	6
PR6T03906-03760-D	0.3906	0.3760	7.0	1.7500	0.3095	6
PR6T03970-03850-D	0.3970	0.3850	7.0	1.7500	0.3095	6
PR6T04040-03900-D	0.4040	0.3900	7.0	1.7500	0.3095	6
PR6T04062-03900-D	0.4062	0.3900	7.0	1.7500	0.3095	6
PR6T04130-03900-D	0.4130	0.3900	7.0	1.7500	0.3720	6
PR6T04219-04050-D	0.4219	0.4050	7.0	1.7500	0.3720	6
PR6T04375-04210-D	0.4375	0.4210	7.0	1.7500	0.3720	6
PR6T04531-04370-D	0.4531	0.4370	7.0	1.7500	0.3720	6
PR6T04688-04520-D	0.4688	0.4520	7.0	1.7500	0.3720	6
PR6T04844-04680-D	0.4844	0.4680	8.0	2.0000	0.4345	6



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀

Order Code	FD	PD	OL	FL	SD	inch
						Z
型號	大直徑	小直徑	全長	刀長	柄徑	刃數
PR6T05000-04830-D	0.5000	0.4830	8.0	2.0000	0.4345	6
PR8T05312-05140-D	0.5312	0.5140	8.0	2.0000	0.4345	8
PR8T05625-05460-D	0.5625	0.5460	8.0	2.0000	0.4345	8
PR8T05938-05610-D	0.5938	0.5610	8.0	2.0000	0.4345	8
PR8T06250-05920-D	0.6250	0.5920	9.0	2.2500	0.5605	8
PR8T06562-06240-D	0.6562	0.6240	9.0	2.2500	0.5605	8
PR8T06875-06550-D	0.6875	0.6550	9.0	2.2500	0.5605	8
PR8T07188-06860-D	0.7188	0.6860	9.0	2.2500	0.5605	8
PR8T07500-07180-D	0.7500	0.7180	9.5	2.5000	0.6230	8
PR8T07812-07490-D	0.7812	0.7490	9.5	2.5000	0.6230	8
PR8T08125-07490-D	0.8125	0.7490	9.5	2.5000	0.6230	8
PR8T08438-08110-D	0.8438	0.8110	9.5	2.5000	0.6230	8
PR8T08750-08430-D	0.8750	0.8430	10.0	2.6250	0.7480	8
PR10T09062-08740-D	0.9062	0.8740	10.0	2.6250	0.7480	10
PR10T09375-09050-D	0.9375	0.9050	10.0	2.6250	0.7480	10
PR10T09688-09360-D	0.9688	0.9360	10.0	2.6250	0.7480	10
PR10T10000-09680-D	1.0000	0.9680	10.5	2.7500	0.8730	10
PR10T10313-10000-D	1.0313	1.0000	10.5	2.7500	0.8730	10
PR10T10625-10300-D	1.0625	1.0300	10.5	2.7500	0.8730	10
PR10T10938-10620-D	1.0938	1.0620	10.5	2.7500	0.8730	10
PR10T11250-10920-D	1.1250	1.0920	11.0	2.8750	0.8730	10
PR10T11562-11240-D	1.1562	1.1240	11.0	2.8750	0.8730	10
PR10T11875-11550-D	1.1875	1.1550	11.0	2.8750	0.9980	10
PR10T12188-11870-D	1.2188	1.1870	11.0	2.8750	0.9980	10
PR12T12500-12170-D	1.2500	1.2170	11.5	3.0000	0.9980	12
PR12T12812-12490-D	1.2812	1.2490	11.5	3.0000	0.9980	12
PR12T13125-12810-D	1.3125	1.2810	11.5	3.0000	0.9980	12
PR12T13438-13120-D	1.3438	1.3120	11.5	3.0000	0.9980	12
PR12T13750-13420-D	1.3750	1.3420	12.0	3.2500	0.9980	12
PR12T14062-13740-D	1.4062	1.3740	12.0	3.2500	0.9980	12
PR12T14375-14060-D	1.4375	1.4060	12.0	3.2500	0.9980	12
PR12T14688-14370-D	1.4688	1.4370	12.0	3.2500	0.9980	12
PR12T15000-14670-D	1.5000	1.4670	12.5	3.5000	1.2480	12




- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



HSS Pilot Reamer

高速鋼領先鉸刀



Order Code	FD	PD	OL	FL	SD	Z	inch
型號	大直徑	小直徑	全長	刃長	柄徑	刃數	
PR4L01250-01100	0.1250	0.1100	3.5	0.8750	0.1180	4	
PR4L01285-01120	0.1285	0.1120	3.5	0.8750	0.1180	4	
PR4L01360-01190	0.1360	0.1190	4.0	1.0000	0.1265	4	
PR4L01405-01240	0.1405	0.1240	4.0	1.0000	0.1340	4	
PR4L01406-01240	0.1406	0.1240	4.0	1.0000	0.1340	4	
PR4L01440-01280	0.1440	0.1280	4.0	1.0000	0.1340	4	
PR4L01470-01280	0.1470	0.1280	4.0	1.0000	0.1420	4	
PR4L01495-01350	0.1495	0.1350	4.0	1.0000	0.1420	4	
PR4L01520-01350	0.1520	0.1350	4.0	1.0000	0.1450	4	
PR4L01540-01400	0.1540	0.1400	4.0	1.0000	0.1500	4	
PR6L01562-01400	0.1562	0.1400	4.0	1.0000	0.1500	6	
PR6L01570-01430	0.1570	0.1430	4.0	1.0000	0.1500	6	
PR6L01590-01460	0.1590	0.1460	4.5	1.1250	0.1520	6	
PR6L01610-01460	0.1610	0.1460	4.5	1.1250	0.1520	6	
PR6L01610-01510	0.1660	0.1510	4.5	1.1250	0.1585	6	
PR6L01719-01550	0.1719	0.1550	4.5	1.1250	0.1635	6	
PR6L01730-01560	0.1730	0.1560	4.5	1.1250	0.1635	6	
PR6L01770-01600	0.1770	0.1600	4.5	1.1250	0.1694	6	
PR6L01800-01650	0.1800	0.1650	4.5	1.1250	0.1745	6	
PR6L01820-01650	0.1820	0.1650	4.5	1.1250	0.1745	6	
PR6L01850-01710	0.1850	0.1710	4.5	1.1250	0.1795	6	
PR6L01875-01710	0.1875	0.1710	4.5	1.1250	0.1795	6	
PR6L01890-01760	0.1890	0.1760	4.5	1.1250	0.1795	6	
PR6L01910-01760	0.1910	0.1760	5.0	1.1250	0.1850	6	
PR6L01935-01760	0.1935	0.1760	5.0	1.1250	0.1850	6	
PR6L01960-01790	0.1960	0.1790	5.0	1.1250	0.1885	6	
PR6L01990-01870	0.1990	0.1870	5.0	1.1250	0.1885	6	
PR6L02010-01870	0.2010	0.1870	5.0	1.1250	0.1935	6	

PR

DD

GB

CD

ST

NC

NH

ACD

DC

SACC

SCC

SFHC

AFC

HSS Pilot Reamer

高速鋼領先鉸刀

Order Code	FD	PD	OL	FL	SD	Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6L02031-01870	0.2031	0.1870	5.0	1.1250	0.1935	6
PR6L02040-01900	0.2040	0.1900	5.0	1.1250	0.1935	6
PR6L02055-01900	0.2055	0.1900	5.0	1.1250	0.2006	6
PR6L02090-01900	0.2090	0.1900	5.0	1.1250	0.2006	6
PR6L02130-01980	0.2130	0.1980	5.0	1.1250	0.2065	6
PR6L02188-02020	0.2188	0.2020	5.0	1.1250	0.2065	6
PR6L02210-02050	0.2210	0.2050	6.0	1.5000	0.2163	6
PR6L02280-02120	0.2280	0.2120	6.0	1.5000	0.2163	6
PR6L02340-02180	0.2340	0.2180	6.0	1.5000	0.2255	6
PR6L02344-02180	0.2344	0.2180	6.0	1.5000	0.2255	6
PR6L02380-02200	0.2380	0.2200	6.0	1.5000	0.2319	6
PR6L02420-02270	0.2420	0.2270	6.0	1.5000	0.2319	6
PR6L02460-02340	0.2460	0.2340	6.0	1.5000	0.2319	6
PR6L02500-02340	0.2500	0.2340	6.0	1.5000	0.2395	6
PR6L02570-02410	0.2570	0.2410	6.0	1.5000	0.2475	6
PR6L02610-02450	0.2610	0.2450	6.0	1.5000	0.2475	6
PR6L02656-02490	0.2656	0.2490	6.0	1.5000	0.2475	6
PR6L02660-02490	0.2660	0.2490	6.0	1.5000	0.2475	6
PR6L02720-02560	0.2720	0.2560	6.0	1.5000	0.2475	6
PR6L02770-02650	0.2770	0.2650	6.0	1.5000	0.2475	6
PR6L02810-02650	0.2810	0.2650	6.0	1.5000	0.2475	6
PR6L02812-02650	0.2812	0.2650	6.0	1.5000	0.2475	6
PR6L02900-02780	0.2900	0.2780	6.0	1.5000	0.2782	6
PR6L02950-02800	0.2950	0.2800	6.0	1.5000	0.2782	6
PR6L02969-02800	0.2969	0.2800	6.0	1.5000	0.2782	6
PR6L03020-02890	0.3020	0.2890	6.0	1.5000	0.2782	6
PR6L03125-02960	0.3125	0.2960	6.0	1.5000	0.2782	6
PR6L03160-03010	0.3160	0.3010	6.0	1.5000	0.2782	6
PR6L03230-03120	0.3230	0.3120	6.0	1.5000	0.2782	6
PR6L03281-03120	0.3281	0.3120	6.0	1.5000	0.2782	6
PR6L03320-03120	0.3320	0.3120	6.0	1.5000	0.2782	6
PR6L03390-03270	0.3390	0.3270	6.0	1.5000	0.2782	6
PR6L03438-03270	0.3438	0.3270	6.0	1.5000	0.2782	6
PR6L03480-03310	0.3480	0.3310	7.0	1.7500	0.3095	6
PR6L03594-03430	0.3594	0.3430	7.0	1.7500	0.3095	6
PR6L03680-03570	0.3680	0.3570	7.0	1.7500	0.3095	6
PR6L03750-03590	0.3750	0.3590	7.0	1.7500	0.3095	6
PR6L03770-03590	0.3770	0.3590	7.0	1.7500	0.3095	6
PR6L03860-03590	0.3860	0.3590	7.0	1.7500	0.3095	6
PR6L03906-03760	0.3906	0.3760	7.0	1.7500	0.3095	6
PR6L03970-03850	0.3970	0.3850	7.0	1.7500	0.3095	6
PR6L04040-03900	0.4040	0.3900	7.0	1.7500	0.3095	6
PR6L04062-03900	0.4062	0.3900	7.0	1.7500	0.3095	6
PR6L04130-03900	0.4130	0.3900	7.0	1.7500	0.3720	6
PR6L04219-04050	0.4219	0.4050	7.0	1.7500	0.3720	6
PR6L04375-04210	0.4375	0.4210	7.0	1.7500	0.3720	6
PR6L04531-04370	0.4531	0.4370	7.0	1.7500	0.3720	6
PR6L04688-04520	0.4688	0.4520	7.0	1.7500	0.3720	6
PR6L04844-04680	0.4844	0.4680	8.0	2.0000	0.4345	6



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



HSS Pilot Reamer

高速鋼領先鉸刀

Order Code	FD	PD	OL	FL	inch	
					SD	Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6L05000-04830	0.5000	0.4830	8.0	2.0000	0.4345	6
PR8L05312-05140	0.5312	0.5140	8.0	2.0000	0.4345	8
PR8L05625-05460	0.5625	0.5460	8.0	2.0000	0.4345	8
PR8L05938-05610	0.5938	0.5610	8.0	2.0000	0.4345	8
PR8L06250-05920	0.6250	0.5920	9.0	2.2500	0.5605	8
PR8L06562-06240	0.6562	0.6240	9.0	2.2500	0.5605	8
PR8L06875-06550	0.6875	0.6550	9.0	2.2500	0.5605	8
PR8L07188-06860	0.7188	0.6860	9.0	2.2500	0.5605	8
PR8L07500-07180	0.7500	0.7180	9.5	2.5000	0.6230	8
PR8L07812-07490	0.7812	0.7490	9.5	2.5000	0.6230	8
PR8L08125-07490	0.8125	0.7490	9.5	2.5000	0.6230	8
PR8L08438-08110	0.8438	0.8110	9.5	2.5000	0.6230	8
PR8L08750-08430	0.8750	0.8430	10.0	2.6250	0.7480	8
PR10L09062-08740	0.9062	0.8740	10.0	2.6250	0.7480	10
PR10L09375-09050	0.9375	0.9050	10.0	2.6250	0.7480	10
PR10L09688-09360	0.9688	0.9360	10.0	2.6250	0.7480	10
PR10L10000-09680	1.0000	0.9680	10.5	2.7500	0.8730	10
PR10L10313-10000	1.0313	1.0000	10.5	2.7500	0.8730	10
PR10L10625-10300	1.0625	1.0300	10.5	2.7500	0.8730	10
PR10L10938-10620	1.0938	1.0620	10.5	2.7500	0.8730	10
PR10L11250-10920	1.1250	1.0920	11.0	2.8750	0.8730	10
PR10L11562-11240	1.1562	1.1240	11.0	2.8750	0.8730	10
PR10L11875-11550	1.1875	1.1550	11.0	2.8750	0.9980	10
PR10L12188-11870	1.2188	1.1870	11.0	2.8750	0.9980	10
PR12L12500-12170	1.2500	1.2170	11.5	3.0000	0.9980	12
PR12L12812-12490	1.2812	1.2490	11.5	3.0000	0.9980	12
PR12L13125-12810	1.3125	1.2810	11.5	3.0000	0.9980	12
PR12L13438-13120	1.3438	1.3120	11.5	3.0000	0.9980	12
PR12L13750-13420	1.3750	1.3420	12.0	3.2500	0.9980	12
PR12L14062-13740	1.4062	1.3740	12.0	3.2500	0.9980	12
PR12L14375-14060	1.4375	1.4060	12.0	3.2500	0.9980	12
PR12L14688-14370	1.4688	1.4370	12.0	3.2500	0.9980	12
PR12L15000-14670	1.5000	1.4670	12.5	3.5000	1.2480	12

PR

DD

GB

CD

ST

NC

NH

ACD

DC

SACC


SCC

SFHC

AFC

Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀



Order Code	FD	PD	OL	FL	SD	inch Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR4L01250-01100-D	0.1250	0.1100	3.5	0.8750	0.1180	4
PR4L01285-01120-D	0.1285	0.1120	3.5	0.8750	0.1180	4
PR4L01360-01190-D	0.1360	0.1190	4.0	1.0000	0.1265	4
PR4L01405-01240-D	0.1405	0.1240	4.0	1.0000	0.1340	4
PR4L01406-01240-D	0.1406	0.1240	4.0	1.0000	0.1340	4
PR4L01440-01280-D	0.1440	0.1280	4.0	1.0000	0.1340	4
PR4L01470-01280-D	0.1470	0.1280	4.0	1.0000	0.1420	4
PR4L01495-01350-D	0.1495	0.1350	4.0	1.0000	0.1420	4
PR4L01520-01350-D	0.1520	0.1350	4.0	1.0000	0.1450	4
PR4L01540-01400-D	0.1540	0.1400	4.0	1.0000	0.1500	4
PR6L01562-01400-D	0.1562	0.1400	4.0	1.0000	0.1500	6
PR6L01570-01430-D	0.1570	0.1430	4.0	1.0000	0.1500	6
PR6L01590-01460-D	0.1590	0.1460	4.5	1.1250	0.1520	6
PR6L01610-01460-D	0.1610	0.1460	4.5	1.1250	0.1520	6
PR6L01610-01510-D	0.1660	0.1510	4.5	1.1250	0.1585	6
PR6L01695-01530-D	0.1695	0.1530	4.5	1.1250	0.1585	6
PR6L01719-01550-D	0.1719	0.1550	4.5	1.1250	0.1635	6
PR6L01730-01560-D	0.1730	0.1560	4.5	1.1250	0.1635	6
PR6L01770-01600-D	0.1770	0.1600	4.5	1.1250	0.1694	6
PR6L01800-01650-D	0.1800	0.1650	4.5	1.1250	0.1745	6
PR6L01820-01650-D	0.1820	0.1650	4.5	1.1250	0.1745	6
PR6L01850-01710-D	0.1850	0.1710	4.5	1.1250	0.1795	6
PR6L01875-01710-D	0.1875	0.1710	4.5	1.1250	0.1795	6
PR6L01890-01760-D	0.1890	0.1760	4.5	1.1250	0.1795	6
PR6L01910-01760-D	0.1910	0.1760	5.0	1.1250	0.1850	6
PR6L01935-01760-D	0.1935	0.1760	5.0	1.1250	0.1850	6
PR6L01960-01790-D	0.1960	0.1790	5.0	1.1250	0.1885	6
PR6L01990-01870-D	0.1990	0.1870	5.0	1.1250	0.1885	6
PR6L02010-01870-D	0.2010	0.1870	5.0	1.1250	0.1935	6



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀

Order Code	FD	PD	OL	FL	SD	inch Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6L02031-01870-D	0.2031	0.1870	5.0	1.1250	0.1935	6
PR6L02040-01900-D	0.2040	0.1900	5.0	1.1250	0.1935	6
PR6L02055-01900-D	0.2055	0.1900	5.0	1.1250	0.2006	6
PR6L02090-01900-D	0.2090	0.1900	5.0	1.1250	0.2006	6
PR6L02130-01980-D	0.2130	0.1980	5.0	1.1250	0.2065	6
PR6L02188-02020-D	0.2188	0.2020	5.0	1.1250	0.2065	6
PR6L02210-02050-D	0.2210	0.2050	6.0	1.5000	0.2163	6
PR6L02280-02120-D	0.2280	0.2120	6.0	1.5000	0.2163	6
PR6L02340-02180-D	0.2340	0.2180	6.0	1.5000	0.2255	6
PR6L02344-02180-D	0.2344	0.2180	6.0	1.5000	0.2255	6
PR6L02380-02200-D	0.2380	0.2200	6.0	1.5000	0.2319	6
PR6L02420-02270-D	0.2420	0.2270	6.0	1.5000	0.2319	6
PR6L02460-02340-D	0.2460	0.2340	6.0	1.5000	0.2319	6
PR6L02500-02340-D	0.2500	0.2340	6.0	1.5000	0.2395	6
PR6L02570-02410-D	0.2570	0.2410	6.0	1.5000	0.2475	6
PR6L02610-02450-D	0.2610	0.2450	6.0	1.5000	0.2475	6
PR6L02656-02490-D	0.2656	0.2490	6.0	1.5000	0.2475	6
PR6L02660-02490-D	0.2660	0.2490	6.0	1.5000	0.2475	6
PR6L02720-02560-D	0.2720	0.2560	6.0	1.5000	0.2475	6
PR6L02770-02650-D	0.2770	0.2650	6.0	1.5000	0.2475	6
PR6L02810-02650-D	0.2810	0.2650	6.0	1.5000	0.2475	6
PR6L02812-02650-D	0.2812	0.2650	6.0	1.5000	0.2475	6
PR6L02900-02780-D	0.2900	0.2780	6.0	1.5000	0.2782	6
PR6L02950-02800-D	0.2950	0.2800	6.0	1.5000	0.2782	6
PR6L02969-02800-D	0.2969	0.2800	6.0	1.5000	0.2782	6
PR6L03020-02890-D	0.3020	0.2890	6.0	1.5000	0.2782	6
PR6L03125-02960-D	0.3125	0.2960	6.0	1.5000	0.2782	6
PR6L03160-03010-D	0.3160	0.3010	6.0	1.5000	0.2782	6
PR6L03230-03120-D	0.3230	0.3120	6.0	1.5000	0.2782	6
PR6L03281-03120-D	0.3281	0.3120	6.0	1.5000	0.2782	6
PR6L03320-03120-D	0.3320	0.3120	6.0	1.5000	0.2782	6
PR6L03390-03270-D	0.3390	0.3270	6.0	1.5000	0.2782	6
PR6L03438-03270-D	0.3438	0.3270	6.0	1.5000	0.2782	6
PR6L03480-03310-D	0.3480	0.3310	7.0	1.7500	0.3095	6
PR6L03594-03430-D	0.3594	0.3430	7.0	1.7500	0.3095	6
PR6L03680-03570-D	0.3680	0.3570	7.0	1.7500	0.3095	6
PR6L03750-03590-D	0.3750	0.3590	7.0	1.7500	0.3095	6
PR6L03770-03590-D	0.3770	0.3590	7.0	1.7500	0.3095	6
PR6L03860-03590-D	0.3860	0.3590	7.0	1.7500	0.3095	6
PR6L03906-03760-D	0.3906	0.3760	7.0	1.7500	0.3095	6
PR6L03970-03850-D	0.3970	0.3850	7.0	1.7500	0.3095	6
PR6L04040-03900-D	0.4040	0.3900	7.0	1.7500	0.3095	6
PR6L04062-03900-D	0.4062	0.3900	7.0	1.7500	0.3095	6
PR6L04130-03900-D	0.4130	0.3900	7.0	1.7500	0.3720	6
PR6L04219-04050-D	0.4219	0.4050	7.0	1.7500	0.3720	6
PR6L04375-04210-D	0.4375	0.4210	7.0	1.7500	0.3720	6
PR6L04531-04370-D	0.4531	0.4370	7.0	1.7500	0.3720	6
PR6L04688-04520-D	0.4688	0.4520	7.0	1.7500	0.3720	6
PR6L04844-04680-D	0.4844	0.4680	8.0	2.0000	0.4345	6



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀


Order Code	FD	PD	OL	FL	SD	Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6L05000-04830-D	0.5000	0.4830	8.0	2.0000	0.4345	6
PR8L05312-05140-D	0.5312	0.5140	8.0	2.0000	0.4345	8
PR8L05625-05460-D	0.5625	0.5460	8.0	2.0000	0.4345	8
PR8L05938-05610-D	0.5938	0.5610	8.0	2.0000	0.4345	8
PR8L06250-05920-D	0.6250	0.5920	9.0	2.2500	0.5605	8
PR8L06562-06240-D	0.6562	0.6240	9.0	2.2500	0.5605	8
PR8L06875-06550-D	0.6875	0.6550	9.0	2.2500	0.5605	8
PR8L07188-06860-D	0.7188	0.6860	9.0	2.2500	0.5605	8
PR8L07500-07180-D	0.7500	0.7180	9.5	2.5000	0.6230	8
PR8L07812-07490-D	0.7812	0.7490	9.5	2.5000	0.6230	8
PR8L08125-07490-D	0.8125	0.7490	9.5	2.5000	0.6230	8
PR8L08438-08110-D	0.8438	0.8110	9.5	2.5000	0.6230	8
PR8L08750-08430-D	0.8750	0.8430	10.0	2.6250	0.7480	8
PR10L09062-08740-D	0.9062	0.8740	10.0	2.6250	0.7480	10
PR10L09375-09050-D	0.9375	0.9050	10.0	2.6250	0.7480	10
PR10L09688-09360-D	0.9688	0.9360	10.0	2.6250	0.7480	10
PR10L10000-09680-D	1.0000	0.9680	10.5	2.7500	0.8730	10
PR10L10313-10000-D	1.0313	1.0000	10.5	2.7500	0.8730	10
PR10L10625-10300-D	1.0625	1.0300	10.5	2.7500	0.8730	10
PR10L10938-10620-D	1.0938	1.0620	10.5	2.7500	0.8730	10
PR10L11250-10920-D	1.1250	1.0920	11.0	2.8750	0.8730	10
PR10L11562-11240-D	1.1562	1.1240	11.0	2.8750	0.8730	10
PR10L11875-11550-D	1.1875	1.1550	11.0	2.8750	0.9980	10
PR10L12188-11870-D	1.2188	1.1870	11.0	2.8750	0.9980	10
PR12L12500-12170-D	1.2500	1.2170	11.5	3.0000	0.9980	12
PR12L12812-12490-D	1.2812	1.2490	11.5	3.0000	0.9980	12
PR12L13125-12810-D	1.3125	1.2810	11.5	3.0000	0.9980	12
PR12L13438-13120-D	1.3438	1.3120	11.5	3.0000	0.9980	12
PR12L13750-13420-D	1.3750	1.3420	12.0	3.2500	0.9980	12
PR12L14062-13740-D	1.4062	1.3740	12.0	3.2500	0.9980	12
PR12L14375-14060-D	1.4375	1.4060	12.0	3.2500	0.9980	12
PR12L14688-14370-D	1.4688	1.4370	12.0	3.2500	0.9980	12
PR12L15000-14670-D	1.5000	1.4670	12.5	3.5000	1.2480	12



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

HSS Pilot Reamer

高速鋼領先鉸刀



Order Code	FD	PD	OL	FL	SD	Z	inch
型號	大直徑	小直徑	全長	刃長	柄徑	刃數	
PR4R01250-01100	0.1250	0.1100	3.5	0.8750	0.1180	4	
PR4R01285-01120	0.1285	0.1120	3.5	0.8750	0.1180	4	
PR4R01360-01190	0.1360	0.1190	4.0	1.0000	0.1265	4	
PR4R01405-01240	0.1405	0.1240	4.0	1.0000	0.1340	4	
PR4R01406-01240	0.1406	0.1240	4.0	1.0000	0.1340	4	
PR4R01440-01280	0.1440	0.1280	4.0	1.0000	0.1340	4	
PR4R01470-01280	0.1470	0.1280	4.0	1.0000	0.1420	4	
PR4R01495-01350	0.1495	0.1350	4.0	1.0000	0.1420	4	
PR4R01520-01350	0.1520	0.1350	4.0	1.0000	0.1450	4	
PR4R01540-01400	0.1540	0.1400	4.0	1.0000	0.1500	4	
PR6R01562-01400	0.1562	0.1400	4.0	1.0000	0.1500	6	
PR6R01570-01430	0.1570	0.1430	4.0	1.0000	0.1500	6	
PR6R01590-01460	0.1590	0.1460	4.5	1.1250	0.1520	6	
PR6R01610-01460	0.1610	0.1460	4.5	1.1250	0.1520	6	
PR6R01610-01510	0.1660	0.1510	4.5	1.1250	0.1585	6	
PR6R01695-01530	0.1695	0.1530	4.5	1.1250	0.1585	6	
PR6R01719-01550	0.1719	0.1550	4.5	1.1250	0.1635	6	
PR6R01730-01560	0.1730	0.1560	4.5	1.1250	0.1635	6	
PR6R01770-01600	0.1770	0.1600	4.5	1.1250	0.1694	6	
PR6R01800-01650	0.1800	0.1650	4.5	1.1250	0.1745	6	
PR6R01820-01650	0.1820	0.1650	4.5	1.1250	0.1745	6	
PR6R01850-01710	0.1850	0.1710	4.5	1.1250	0.1795	6	
PR6R01875-01710	0.1875	0.1710	4.5	1.1250	0.1795	6	
PR6R01890-01760	0.1890	0.1760	4.5	1.1250	0.1795	6	
PR6R01910-01760	0.1910	0.1760	5.0	1.1250	0.1850	6	
PR6R01935-01760	0.1935	0.1760	5.0	1.1250	0.1850	6	
PR6R01960-01790	0.1960	0.1790	5.0	1.1250	0.1885	6	
PR6R01990-01870	0.1990	0.1870	5.0	1.1250	0.1885	6	
PR6R02010-01870	0.2010	0.1870	5.0	1.1250	0.1935	6	

PR

DD

GB

CD

ST

NC

NH

ACD

DC

SACC

SCC

SFHC

AFC

HSS Pilot Reamer

高速鋼領先鉸刀

Order Code	FD	PD	OL	FL	SD	Z	inch
型號	大直徑	小直徑	全長	刃長	柄徑	刃數	
PR6R02031-01870	0.2031	0.1870	5.0	1.1250	0.1935	6	
PR6R02040-01900	0.2040	0.1900	5.0	1.1250	0.1935	6	
PR6R02055-01900	0.2055	0.1900	5.0	1.1250	0.2006	6	
PR6R02090-01900	0.2090	0.1900	5.0	1.1250	0.2006	6	
PR6R02130-01980	0.2130	0.1980	5.0	1.1250	0.2065	6	
PR6R02188-02020	0.2188	0.2020	5.0	1.1250	0.2065	6	
PR6R02210-02050	0.2210	0.2050	6.0	1.5000	0.2163	6	
PR6R02280-02120	0.2280	0.2120	6.0	1.5000	0.2163	6	
PR6R02340-02180	0.2340	0.2180	6.0	1.5000	0.2255	6	
PR6R02344-02180	0.2344	0.2180	6.0	1.5000	0.2255	6	
PR6R02380-02200	0.2380	0.2200	6.0	1.5000	0.2319	6	
PR6R02420-02270	0.2420	0.2270	6.0	1.5000	0.2319	6	
PR6R02460-02340	0.2460	0.2340	6.0	1.5000	0.2319	6	
PR6R02500-02340	0.2500	0.2340	6.0	1.5000	0.2395	6	
PR6R02570-02410	0.2570	0.2410	6.0	1.5000	0.2475	6	
PR6R02610-02450	0.2610	0.2450	6.0	1.5000	0.2475	6	
PR6R02656-02490	0.2656	0.2490	6.0	1.5000	0.2475	6	
PR6R02660-02490	0.2660	0.2490	6.0	1.5000	0.2475	6	
PR6R02720-02560	0.2720	0.2560	6.0	1.5000	0.2475	6	
PR6R02770-02650	0.2770	0.2650	6.0	1.5000	0.2475	6	
PR6R02810-02650	0.2810	0.2650	6.0	1.5000	0.2475	6	
PR6R02812-02650	0.2812	0.2650	6.0	1.5000	0.2475	6	
PR6R02900-02780	0.2900	0.2780	6.0	1.5000	0.2782	6	
PR6R02950-02800	0.2950	0.2800	6.0	1.5000	0.2782	6	
PR6R02969-02800	0.2969	0.2800	6.0	1.5000	0.2782	6	
PR6R03020-02890	0.3020	0.2890	6.0	1.5000	0.2782	6	
PR6R03125-02960	0.3125	0.2960	6.0	1.5000	0.2782	6	
PR6R03160-03010	0.3160	0.3010	6.0	1.5000	0.2782	6	
PR6R03230-03120	0.3230	0.3120	6.0	1.5000	0.2782	6	
PR6R03281-03120	0.3281	0.3120	6.0	1.5000	0.2782	6	
PR6R03320-03120	0.3320	0.3120	6.0	1.5000	0.2782	6	
PR6R03390-03270	0.3390	0.3270	6.0	1.5000	0.2782	6	
PR6R03438-03270	0.3438	0.3270	6.0	1.5000	0.2782	6	
PR6R03480-03310	0.3480	0.3310	7.0	1.7500	0.3095	6	
PR6R03594-03430	0.3594	0.3430	7.0	1.7500	0.3095	6	
PR6R03680-03570	0.3680	0.3570	7.0	1.7500	0.3095	6	
PR6R03750-03590	0.3750	0.3590	7.0	1.7500	0.3095	6	
PR6R03770-03590	0.3770	0.3590	7.0	1.7500	0.3095	6	
PR6R03860-03590	0.3860	0.3590	7.0	1.7500	0.3095	6	
PR6R03906-03760	0.3906	0.3760	7.0	1.7500	0.3095	6	
PR6R03970-03850	0.3970	0.3850	7.0	1.7500	0.3095	6	
PR6R04040-03900	0.4040	0.3900	7.0	1.7500	0.3095	6	
PR6R04062-03900	0.4062	0.3900	7.0	1.7500	0.3095	6	
PR6R04130-03900	0.4130	0.3900	7.0	1.7500	0.3720	6	
PR6R04219-04050	0.4219	0.4050	7.0	1.7500	0.3720	6	
PR6R04375-04210	0.4375	0.4210	7.0	1.7500	0.3720	6	
PR6R04531-04370	0.4531	0.4370	7.0	1.7500	0.3720	6	
PR6R04688-04520	0.4688	0.4520	7.0	1.7500	0.3720	6	
PR6R04844-04680	0.4844	0.4680	8.0	2.0000	0.4345	6	



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



HSS Pilot Reamer

高速鋼領先鉸刀


Order Code	FD	PD	OL	FL	inch	
					SD	Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6R05000-04830	0.5000	0.4830	8.0	2.0000	0.4345	6
PR8R05312-05140	0.5312	0.5140	8.0	2.0000	0.4345	8
PR8R05625-05460	0.5625	0.5460	8.0	2.0000	0.4345	8
PR8R05938-05610	0.5938	0.5610	8.0	2.0000	0.4345	8
PR8R06250-05920	0.6250	0.5920	9.0	2.2500	0.5605	8
PR8R06562-06240	0.6562	0.6240	9.0	2.2500	0.5605	8
PR8R06875-06550	0.6875	0.6550	9.0	2.2500	0.5605	8
PR8R07188-06860	0.7188	0.6860	9.0	2.2500	0.5605	8
PR8R07500-07180	0.7500	0.7180	9.5	2.5000	0.6230	8
PR8R07812-07490	0.7812	0.7490	9.5	2.5000	0.6230	8
PR8R08125-07490	0.8125	0.7490	9.5	2.5000	0.6230	8
PR8R08438-08110	0.8438	0.8110	9.5	2.5000	0.6230	8
PR8R08750-08430	0.8750	0.8430	10.0	2.6250	0.7480	8
PR10R09062-0874	0.9062	0.8740	10.0	2.6250	0.7480	10
PR10R09375-09050	0.9375	0.9050	10.0	2.6250	0.7480	10
PR10R09688-09360	0.9688	0.9360	10.0	2.6250	0.7480	10
PR10R10000-09680	1.0000	0.9680	10.5	2.7500	0.8730	10
PR10R10313-10000	1.0313	1.0000	10.5	2.7500	0.8730	10
PR10R10625-10300	1.0625	1.0300	10.5	2.7500	0.8730	10
PR10R10938-10620	1.0938	1.0620	10.5	2.7500	0.8730	10
PR10R11250-10920	1.1250	1.0920	11.0	2.8750	0.8730	10
PR10R11562-11240	1.1562	1.1240	11.0	2.8750	0.8730	10
PR10R11875-11550	1.1875	1.1550	11.0	2.8750	0.9980	10
PR10R12188-11870	1.2188	1.1870	11.0	2.8750	0.9980	10
PR12R12500-12170	1.2500	1.2170	11.5	3.0000	0.9980	12
PR12R12812-12490	1.2812	1.2490	11.5	3.0000	0.9980	12
PR12R13125-12810	1.3125	1.2810	11.5	3.0000	0.9980	12
PR12R13438-13120	1.3438	1.3120	11.5	3.0000	0.9980	12
PR12R13750-13420	1.3750	1.3420	12.0	3.2500	0.9980	12
PR12R14062-13740	1.4062	1.3740	12.0	3.2500	0.9980	12
PR12R14375-14060	1.4375	1.4060	12.0	3.2500	0.9980	12
PR12R14688-14370	1.4688	1.4370	12.0	3.2500	0.9980	12
PR12R15000-14670	1.5000	1.4670	12.5	3.5000	1.2480	12



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀



Order Code	FD	PD	OL	FL	SD	inch Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR4R01250-01100-D	0.1250	0.1100	3.5	0.8750	0.1180	4
PR4R01285-01120-D	0.1285	0.1120	3.5	0.8750	0.1180	4
PR4R01360-01190-D	0.1360	0.1190	4.0	1.0000	0.1265	4
PR4R01405-01240-D	0.1405	0.1240	4.0	1.0000	0.1340	4
PR4R01406-01240-D	0.1406	0.1240	4.0	1.0000	0.1340	4
PR4R01440-01280-D	0.1440	0.1280	4.0	1.0000	0.1340	4
PR4R01470-01280-D	0.1470	0.1280	4.0	1.0000	0.1420	4
PR4R01495-01350-D	0.1495	0.1350	4.0	1.0000	0.1420	4
PR4R01520-01350-D	0.1520	0.1350	4.0	1.0000	0.1450	4
PR4R01540-01400-D	0.1540	0.1400	4.0	1.0000	0.1500	4
PR6R01562-01400-D	0.1562	0.1400	4.0	1.0000	0.1500	6
PR6R01570-01430-D	0.1570	0.1430	4.0	1.0000	0.1500	6
PR6R01590-01460-D	0.1590	0.1460	4.5	1.1250	0.1520	6
PR6R01610-01460-D	0.1610	0.1460	4.5	1.1250	0.1520	6
PR6R01610-01510-D	0.1660	0.1510	4.5	1.1250	0.1585	6
PR6R01695-01530-D	0.1695	0.1530	4.5	1.1250	0.1585	6
PR6R01719-01550-D	0.1719	0.1550	4.5	1.1250	0.1635	6
PR6R01730-01560-D	0.1730	0.1560	4.5	1.1250	0.1635	6
PR6R01770-01600-D	0.1770	0.1600	4.5	1.1250	0.1694	6
PR6R01800-01650-D	0.1800	0.1650	4.5	1.1250	0.1745	6
PR6R01820-01650-D	0.1820	0.1650	4.5	1.1250	0.1745	6
PR6R01850-01710-D	0.1850	0.1710	4.5	1.1250	0.1795	6
PR6R01875-01710-D	0.1875	0.1710	4.5	1.1250	0.1795	6
PR6R01890-01760-D	0.1890	0.1760	4.5	1.1250	0.1795	6
PR6R01910-01760-D	0.1910	0.1760	5.0	1.1250	0.1850	6
PR6R01935-01760-D	0.1935	0.1760	5.0	1.1250	0.1850	6
PR6R01960-01790-D	0.1960	0.1790	5.0	1.1250	0.1885	6
PR6R01990-01870-D	0.1990	0.1870	5.0	1.1250	0.1885	6
PR6R02010-01870-D	0.2010	0.1870	5.0	1.1250	0.1935	6



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀

Order Code	FD	PD	OL	FL	SD	inch Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6R02031-01870-D	0.2031	0.1870	5.0	1.1250	0.1935	6
PR6R02040-01900-D	0.2040	0.1900	5.0	1.1250	0.1935	6
PR6R02055-01900-D	0.2055	0.1900	5.0	1.1250	0.2006	6
PR6R02090-01900-D	0.2090	0.1900	5.0	1.1250	0.2006	6
PR6R02130-01980-D	0.2130	0.1980	5.0	1.1250	0.2065	6
PR6R02188-02020-D	0.2188	0.2020	5.0	1.1250	0.2065	6
PR6R02210-02050-D	0.2210	0.2050	6.0	1.5000	0.2163	6
PR6R02280-02120-D	0.2280	0.2120	6.0	1.5000	0.2163	6
PR6R02340-02180-D	0.2340	0.2180	6.0	1.5000	0.2255	6
PR6R02344-02180-D	0.2344	0.2180	6.0	1.5000	0.2255	6
PR6R02380-02200-D	0.2380	0.2200	6.0	1.5000	0.2319	6
PR6R02420-02270-D	0.2420	0.2270	6.0	1.5000	0.2319	6
PR6R02460-02340-D	0.2460	0.2340	6.0	1.5000	0.2319	6
PR6R02500-02340-D	0.2500	0.2340	6.0	1.5000	0.2395	6
PR6R02570-02410-D	0.2570	0.2410	6.0	1.5000	0.2475	6
PR6R02610-02450-D	0.2610	0.2450	6.0	1.5000	0.2475	6
PR6R02656-02490-D	0.2656	0.2490	6.0	1.5000	0.2475	6
PR6R02660-02490-D	0.2660	0.2490	6.0	1.5000	0.2475	6
PR6R02720-02560-D	0.2720	0.2560	6.0	1.5000	0.2475	6
PR6R02770-02650-D	0.2770	0.2650	6.0	1.5000	0.2475	6
PR6R02810-02650-D	0.2810	0.2650	6.0	1.5000	0.2475	6
PR6R02812-02650-D	0.2812	0.2650	6.0	1.5000	0.2475	6
PR6R02900-02780-D	0.2900	0.2780	6.0	1.5000	0.2782	6
PR6R02950-02800-D	0.2950	0.2800	6.0	1.5000	0.2782	6
PR6R02969-02800-D	0.2969	0.2800	6.0	1.5000	0.2782	6
PR6R03020-02890-D	0.3020	0.2890	6.0	1.5000	0.2782	6
PR6R03125-02960-D	0.3125	0.2960	6.0	1.5000	0.2782	6
PR6R03160-03010-D	0.3160	0.3010	6.0	1.5000	0.2782	6
PR6R03230-03120-D	0.3230	0.3120	6.0	1.5000	0.2782	6
PR6R03281-03120-D	0.3281	0.3120	6.0	1.5000	0.2782	6
PR6R03320-03120-D	0.3320	0.3120	6.0	1.5000	0.2782	6
PR6R03390-03270-D	0.3390	0.3270	6.0	1.5000	0.2782	6
PR6R03438-03270-D	0.3438	0.3270	6.0	1.5000	0.2782	6
PR6R03480-03310-D	0.3480	0.3310	7.0	1.7500	0.3095	6
PR6R03594-03430-D	0.3594	0.3430	7.0	1.7500	0.3095	6
PR6R03680-03570-D	0.3680	0.3570	7.0	1.7500	0.3095	6
PR6R03750-03590-D	0.3750	0.3590	7.0	1.7500	0.3095	6
PR6R03770-03590-D	0.3770	0.3590	7.0	1.7500	0.3095	6
PR6R03860-03590-D	0.3860	0.3590	7.0	1.7500	0.3095	6
PR6R03906-03760-D	0.3906	0.3760	7.0	1.7500	0.3095	6
PR6R03970-03850-D	0.3970	0.3850	7.0	1.7500	0.3095	6
PR6R04040-03900-D	0.4040	0.3900	7.0	1.7500	0.3095	6
PR6R04062-03900-D	0.4062	0.3900	7.0	1.7500	0.3095	6
PR6R04130-03900-D	0.4130	0.3900	7.0	1.7500	0.3720	6
PR6R04219-04050-D	0.4219	0.4050	7.0	1.7500	0.3720	6
PR6R04375-04210-D	0.4375	0.4210	7.0	1.7500	0.3720	6
PR6R04531-04370-D	0.4531	0.4370	7.0	1.7500	0.3720	6
PR6R04688-04520-D	0.4688	0.4520	7.0	1.7500	0.3720	6
PR6R04844-04680-D	0.4844	0.4680	8.0	2.0000	0.4345	6



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Pilot Reamer with Dimand Coating

鑽石鍍層領先鉸刀


Order Code	FD	PD	OL	FL	SD	inch
						Z
型號	大直徑	小直徑	全長	刃長	柄徑	刃數
PR6R05000-04830-D	0.5000	0.4830	8.0	2.0000	0.4345	6
PR8R05312-05140-D	0.5312	0.5140	8.0	2.0000	0.4345	8
PR8R05625-05460-D	0.5625	0.5460	8.0	2.0000	0.4345	8
PR8R05938-05610-D	0.5938	0.5610	8.0	2.0000	0.4345	8
PR8R06250-05920-D	0.6250	0.5920	9.0	2.2500	0.5605	8
PR8R06562-06240-D	0.6562	0.6240	9.0	2.2500	0.5605	8
PR8R06875-06550-D	0.6875	0.6550	9.0	2.2500	0.5605	8
PR8R07188-06860-D	0.7188	0.6860	9.0	2.2500	0.5605	8
PR8R07500-07180-D	0.7500	0.7180	9.5	2.5000	0.6230	8
PR8R07812-07490-D	0.7812	0.7490	9.5	2.5000	0.6230	8
PR8R08125-07490-D	0.8125	0.7490	9.5	2.5000	0.6230	8
PR8R08438-08110-D	0.8438	0.8110	9.5	2.5000	0.6230	8
PR8R08750-08430-D	0.8750	0.8430	10.0	2.6250	0.7480	8
PR10R09062-08740-D	0.9062	0.8740	10.0	2.6250	0.7480	10
PR10R09375-09050-D	0.9375	0.9050	10.0	2.6250	0.7480	10
PR10R09688-09360-D	0.9688	0.9360	10.0	2.6250	0.7480	10
PR10R10000-09680-D	1.0000	0.9680	10.5	2.7500	0.8730	10
PR10R10313-10000-D	1.0313	1.0000	10.5	2.7500	0.8730	10
PR10R10625-10300-D	1.0625	1.0300	10.5	2.7500	0.8730	10
PR10R10938-10620-D	1.0938	1.0620	10.5	2.7500	0.8730	10
PR10R11250-10920-D	1.1250	1.0920	11.0	2.8750	0.8730	10
PR10R11562-11240-D	1.1562	1.1240	11.0	2.8750	0.8730	10
PR10R11875-11550-D	1.1875	1.1550	11.0	2.8750	0.9980	10
PR10R12188-11870-D	1.2188	1.1870	11.0	2.8750	0.9980	10
PR12R12500-12170-D	1.2500	1.2170	11.5	3.0000	0.9980	12
PR12R12812-12490-D	1.2812	1.2490	11.5	3.0000	0.9980	12
PR12R13125-12810-D	1.3125	1.2810	11.5	3.0000	0.9980	12
PR12R13438-13120-D	1.3438	1.3120	11.5	3.0000	0.9980	12
PR12R13750-13420-D	1.3750	1.3420	12.0	3.2500	0.9980	12
PR12R14062-13740-D	1.4062	1.3740	12.0	3.2500	0.9980	12
PR12R14375-14060-D	1.4375	1.4060	12.0	3.2500	0.9980	12
PR12R14688-14370-D	1.4688	1.4370	12.0	3.2500	0.9980	12
PR12R15000-14670-D	1.5000	1.4670	12.5	3.5000	1.2480	12



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

HSS Pneumatic Pilot Reamer

高速鋼氣動領先鉸刀



Order Code	FD	FL	PD	PL	THD	FS	Z	CH	OL
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	全長
PR1285-1120-50-2-8	0.1285	1	0.1120	0.5	1/4-28	10°R	6	135°	2
PR1360-1190-50-2-8	0.1360	1	0.1190	0.5	1/4-28	10°R	6	135°	2
PR1405-1240-50-2-8	0.1405	1	0.1240	0.5	1/4-28	10°R	6	135°	2
PR1460-1240-50-2-8	0.1460	1	0.1240	0.5	1/4-28	10°R	6	135°	2
PR1440-1280-50-2-8	0.1440	1	0.1280	0.5	1/4-28	10°R	6	135°	2
PR1470-1280-50-2-8	0.1470	1	0.1280	0.5	1/4-28	10°R	6	135°	2
PR1495-1350-50-2-8	0.1495	1	0.1350	0.5	1/4-28	10°R	6	135°	2
PR1520-1350-50-2-8	0.1520	1	0.1350	0.5	1/4-28	10°R	6	135°	2
PR1540-1400-50-2-8	0.1540	1	0.1400	0.5	1/4-28	10°R	6	135°	2
PR1562-1400-50-2-8	0.1562	1	0.1400	0.5	1/4-28	10°R	6	135°	2
PR1570-1430-50-2-8	0.1570	1	0.1430	0.5	1/4-28	10°R	6	135°	2
PR1590-1460-50-2-8	0.1590	1	0.1460	0.5	1/4-28	10°R	6	135°	2
PR1610-1460-50-2-8	0.1610	1	0.1460	0.5	1/4-28	10°R	6	135°	2
PR1660-1510-50-2-8	0.1660	1	0.1510	0.5	1/4-28	10°R	6	135°	2
PR1696-1530-50-2-8	0.1696	1	0.1530	0.5	1/4-28	10°R	6	135°	2
PR1719-1550-50-2-8	0.1719	1	0.1550	0.5	1/4-28	10°R	6	135°	2
PR1730-1560-50-2-8	0.1730	1	0.1560	0.5	1/4-28	10°R	6	135°	2
PR1770-1600-50-2-8	0.1770	1	0.1600	0.5	1/4-28	10°R	6	135°	2
PR1800-1650-50-2-8	0.1800	1	0.1650	0.5	1/4-28	10°R	6	135°	2
PR1820-1650-50-2-8	0.1820	1	0.1650	0.5	1/4-28	10°R	6	135°	2
PR1850-1710-50-2-8	0.1850	1	0.1710	0.5	1/4-28	10°R	6	135°	2
PR1875-1710-50-2-8	0.1875	1	0.1710	0.5	1/4-28	10°R	6	135°	2
PR1890-1760-50-2-8	0.1890	1	0.1760	0.5	1/4-28	10°R	6	135°	2
PR1910-1760-50-2-8	0.1910	1	0.1760	0.5	1/4-28	10°R	6	135°	2
PR1935-1760-50-2-8	0.1935	1	0.1760	0.5	1/4-28	10°R	6	135°	2
PR1960-1790-50-2-8	0.1960	1	0.1790	0.5	1/4-28	10°R	6	135°	2
PR1990-1870-50-2-12	0.1990	1	0.1870	0.5	1/4-28	10°R	6	135°	3
PR2010-1870-50-2-12	0.2010	1	0.1870	0.5	1/4-28	10°R	6	135°	3

PR

DD

GB

CD

ST

NC

NH

ACD

DC

SACC

SCC

SFHC

AFC

HSS Pneumatic Pilot Reamer

高速鋼氣動領先鉸刀

Order Code	FD	FL	PD	PL	THD	FS	Z	CH	inch 全長
型號	大直徑	大直徑 刀長	小直徑	小直徑 刀長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	OL
PR2030-1870-50-2-12	0.2030	1	0.1870	0.5	1/4-28	10° R	6	135°	3
PR2040-1900-50-2-12	0.2040	1	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2055-1900-50-2-12	0.2055	1	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2090-1900-50-2-12	0.2090	1	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2130-1980-50-2-12	0.2130	1	0.1980	0.5	1/4-28	10° R	6	135°	3
PR2188-2020-50-2-12	0.2188	1	0.2020	0.5	1/4-28	10° R	6	135°	3
PR2210-2050-50-2-12	0.2210	1	0.2050	0.5	1/4-28	10° R	6	135°	3
PR2280-2120-50-2-12	0.2280	1	0.2120	0.5	1/4-28	10° R	6	135°	3
PR2340-2180-50-2-12	0.2340	1	0.2180	0.5	1/4-28	10° R	6	135°	3
PR2344-2180-50-2-12	0.2344	1	0.2180	0.5	1/4-28	10° R	6	135°	3
PR2380-2200-50-2-12	0.2380	1	0.2200	0.5	1/4-28	10° R	6	135°	3
PR2420-2270-50-2-12	0.2420	1	0.2270	0.5	1/4-28	10° R	6	135°	3
PR2460-2340-50-2-12	0.2460	1	0.2340	0.5	1/4-28	10° R	6	135°	3
PR2500-2340-50-2-12	0.2500	1	0.2340	0.5	1/4-28	10° R	6	135°	3
PR2570-2410-50-2-12	0.2570	1	0.2410	0.5	1/4-28	10° R	6	135°	3
PR2610-2450-50-2-12	0.2610	1	0.2450	0.5	1/4-28	10° R	6	135°	3
PR2658-2490-50-2-12	0.2658	1	0.2490	0.5	1/4-28	10° R	6	135°	3
PR2600-2490-50-2-12	0.2600	1	0.2490	0.5	1/4-28	10° R	6	135°	3
PR2720-2560-50-2-12	0.2720	1	0.2560	0.5	1/4-28	10° R	6	135°	3
PR2770-2650-50-2-12	0.2770	1	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2810-2650-50-2-12	0.2810	1	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2812-2650-50-2-12	0.2812	1	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2900-2780-50-2-12	0.2900	1	0.2780	0.5	1/4-28	10° R	6	135°	3
PR2950-2800-50-2-12	0.2950	1	0.2800	0.5	1/4-28	10° R	6	135°	3
PR2969-2800-50-2-12	0.2969	1	0.2800	0.5	1/4-28	10° R	6	135°	3
PR3020-2890-50-2-12	0.3020	1	0.2890	0.5	1/4-28	10° R	6	135°	3
PR3125-2960-50-2-12	0.3125	1	0.2960	0.5	1/4-28	10° R	6	135°	3
PR3160-3010-50-2-12	0.3160	1	0.3010	0.5	1/4-28	10° R	6	135°	3
PR3230-3120-50-2-12	0.3230	1	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3281-3120-50-2-12	0.3281	1	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3320-3120-50-2-12	0.3320	1	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3390-3270-50-2-12	0.3390	1	0.3270	0.5	1/4-28	10° R	6	135°	3
PR3438-3270-50-2-12	0.3438	1	0.3270	0.5	1/4-28	10° R	6	135°	3
PR3480-3310-50-2-12	0.3480	1	0.3310	0.5	1/4-28	10° R	6	135°	3
PR3580-3430-50-2-12	0.3580	1	0.3430	0.5	1/4-28	10° R	6	135°	3
PR3594-3430-50-2-12	0.3594	1	0.3430	0.5	1/4-28	10° R	6	135°	3
PR3680-3570-50-2-12	0.3680	1	0.3570	0.5	1/4-28	10° R	6	135°	3
PR3750-3590-50-4-12	0.3750	1	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3770-3590-50-4-12	0.3770	1	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3860-3590-50-4-12	0.3860	1	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3906-3760-50-4-12	0.3906	1	0.3760	0.5	3/8-24	10° R	6	135°	3
PR3970-3850-50-4-12	0.3970	1	0.3850	0.5	3/8-24	10° R	6	135°	3
PR4040-3900-50-4-12	0.4040	1	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4062-3900-50-4-12	0.4062	1	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4130-3900-50-4-12	0.4130	1	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4219-4050-50-4-12	0.4219	1	0.4050	0.5	3/8-24	10° R	6	135°	3
PR4375-4210-50-4-12	0.4375	1	0.4210	0.5	3/8-24	10° R	6	135°	3
PR4531-4370-50-4-12	0.4531	1	0.4370	0.5	3/8-24	10° R	6	135°	3



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



HSS Pneumatic Pilot Reamer

高速鋼氣動領先鉸刀


Order Code	FD	FL	PD	PL	THD	FS	Z	CH	inch 全長
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	OL
PR4688-4820-50-4-12	0.4688	1	0.4820	0.5	3/8-24	10° R	6	135°	3
PR4844-4680-50-4-12	0.4844	1	0.4680	0.5	3/8-24	10° R	8	135°	3
PR5000-4830-50-4-12	0.5000	1	0.4830	0.5	3/8-24	10° R	8	135°	3
PR5312-5140-50-4-12	0.5312	1	0.5140	0.5	3/8-24	10° R	8	135°	3
PR5625-5460-50-4-16	0.5625	1	0.5460	0.5	3/8-24	10° R	8	135°	4
PR5938-5610-50-4-16	0.5938	1	0.5610	0.5	3/8-24	10° R	8	135°	4
PR6250-5920-50-4-16	0.6250	1	0.5920	0.5	3/8-24	10° R	8	135°	4
PR6562-6240-50-4-16	0.6562	1	0.6240	0.5	3/8-24	10° R	8	135°	4
PR6875-6550-50-4-16	0.6875	1	0.6550	0.5	3/8-24	10° R	8	135°	4
PR7188-6860-50-4-16	0.7188	1	0.6860	0.5	3/8-24	10° R	8	135°	4
PR7500-7180-50-4-16	0.7500	1	0.7180	0.5	3/8-24	10° R	8	135°	4
PR7812-7490-50-4-16	0.7812	1	0.7490	0.5	3/8-24	10° R	8	135°	4
PR8125-7490-50-4-16	0.8125	1	0.7490	0.5	3/8-24	10° R	8	135°	4
PR8438-8110-50-4-16	0.8438	1	0.8110	0.5	3/8-24	10° R	8	135°	4
PR8750-8430-50-4-16	0.8750	1	0.8430	0.5	3/8-24	10° R	8	135°	4
PR9062-8740-50-4-16	0.9062	1	0.8740	0.5	3/8-24	10° R	10	135°	4
PR9375-9050-50-4-16	0.9375	1	0.9050	0.5	3/8-24	10° R	10	135°	4
PR9688-9360-50-4-16	0.9688	1	0.9360	0.5	3/8-24	10° R	10	135°	4
PR10000-9680-50-4-16	1.0000	1	0.9680	0.5	3/8-24	10° R	10	135°	4
PR10313-10000-50-4-16	1.0313	1	1.0000	0.5	3/8-24	10° R	10	135°	4
PR10625-10300-50-4-16	1.0625	1	1.0300	0.5	3/8-24	10° R	10	135°	4
PR10938-10620-50-4-16	1.0938	1	1.0620	0.5	3/8-24	10° R	10	135°	4
PR11250-10920-50-4-16	1.1250	1	1.0920	0.5	3/8-24	10° R	10	135°	4
PR11562-11240-50-4-16	1.1562	1	1.1240	0.5	3/8-24	10° R	10	135°	4
PR11875-11550-50-4-16	1.1875	1	1.1550	0.5	3/8-24	10° R	10	135°	4
PR12188-11870-50-4-16	1.2188	1	1.1870	0.5	3/8-24	10° R	10	135°	4
PR12500-12170-50-4-16	1.2500	1	1.2170	0.5	3/8-24	10° R	10	135°	4
PR12812-12490-50-4-16	1.2812	1	1.2490	0.5	3/8-24	10° R	10	135°	4
PR13126-12810-50-4-16	1.3126	1	1.2810	0.5	3/8-24	10° R	10	135°	4
PR13438-13120-50-4-16	1.3438	1	1.3120	0.5	3/8-24	10° R	10	135°	4
PR13750-13420-50-4-16	1.3750	1	1.3420	0.5	3/8-24	10° R	10	135°	4
PR14062-13740-50-4-16	1.4062	1	1.3740	0.5	3/8-24	10° R	10	135°	4
PR14375-14060-50-4-16	1.4375	1	1.4060	0.5	3/8-24	10° R	10	135°	4
PR14688-14370-50-4-16	1.4688	1	1.4370	0.5	3/8-24	10° R	10	135°	4
PR15000-14670-50-4-16	1.5000	1	1.4670	0.5	3/8-24	10° R	10	135°	4



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Pneumatic Pilot Reamer with Dimand Coating

鑽石鍍層氣動領先鉸刀



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Order Code	FD	FL	PD	PL	THD	FS	Z	CH	OL
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	全長
PR1285-1120-50-2-8D	0.1285	1	0.1120	0.5	1/4-28	10°R	6	135°	2
PR1360-1190-50-2-8D	0.1360	1	0.1190	0.5	1/4-28	10°R	6	135°	2
PR1405-1240-50-2-8D	0.1405	1	0.1240	0.5	1/4-28	10°R	6	135°	2
PR1460-1240-50-2-8D	0.1460	1	0.1240	0.5	1/4-28	10°R	6	135°	2
PR1440-1280-50-2-8D	0.1440	1	0.1280	0.5	1/4-28	10°R	6	135°	2
PR1470-1280-50-2-8D	0.1470	1	0.1280	0.5	1/4-28	10°R	6	135°	2
PR1495-1350-50-2-8D	0.1495	1	0.1350	0.5	1/4-28	10°R	6	135°	2
PR1520-1350-50-2-8D	0.1520	1	0.1350	0.5	1/4-28	10°R	6	135°	2
PR1540-1400-50-2-8D	0.1540	1	0.1400	0.5	1/4-28	10°R	6	135°	2
PR1562-1400-50-2-8D	0.1562	1	0.1400	0.5	1/4-28	10°R	6	135°	2
PR1570-1430-50-2-8D	0.1570	1	0.1430	0.5	1/4-28	10°R	6	135°	2
PR1590-1460-50-2-8D	0.1590	1	0.1460	0.5	1/4-28	10°R	6	135°	2
PR1610-1460-50-2-8D	0.1610	1	0.1460	0.5	1/4-28	10°R	6	135°	2
PR1660-1510-50-2-8D	0.1660	1	0.1510	0.5	1/4-28	10°R	6	135°	2
PR1696-1530-50-2-8D	0.1696	1	0.1530	0.5	1/4-28	10°R	6	135°	2
PR1719-1550-50-2-8D	0.1719	1	0.1550	0.5	1/4-28	10°R	6	135°	2
PR1730-1560-50-2-8D	0.1730	1	0.1560	0.5	1/4-28	10°R	6	135°	2
PR1770-1600-50-2-8D	0.1770	1	0.1600	0.5	1/4-28	10°R	6	135°	2
PR1800-1650-50-2-8D	0.1800	1	0.1650	0.5	1/4-28	10°R	6	135°	2
PR1820-1650-50-2-8D	0.1820	1	0.1650	0.5	1/4-28	10°R	6	135°	2
PR1850-1710-50-2-8D	0.1850	1	0.1710	0.5	1/4-28	10°R	6	135°	2
PR1875-1710-50-2-8D	0.1875	1	0.1710	0.5	1/4-28	10°R	6	135°	2
PR1890-1760-50-2-8D	0.1890	1	0.1760	0.5	1/4-28	10°R	6	135°	2
PR1910-1760-50-2-8D	0.1910	1	0.1760	0.5	1/4-28	10°R	6	135°	2
PR1935-1760-50-2-8D	0.1935	1	0.1760	0.5	1/4-28	10°R	6	135°	2
PR1960-1790-50-2-8D	0.1960	1	0.1790	0.5	1/4-28	10°R	6	135°	2
PR1990-1870-50-2-12D	0.1990	1	0.1870	0.5	1/4-28	10°R	6	135°	3
PR2010-1870-50-2-12D	0.2010	1	0.1870	0.5	1/4-28	10°R	6	135°	3

inch



Pneumatic Pilot Reamer with Dimand Coating

鑽石鍍層氣動領先鉸刀

Order Code	FD	FL	PD	PL	THD	FS	Z	CH	inch 全長
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	OL
PR2030-1870-50-2-12D	0.2030	1	0.1870	0.5	1/4-28	10° R	6	135°	3
PR2040-1900-50-2-12D	0.2040	1	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2055-1900-50-2-12D	0.2055	1	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2090-1900-50-2-12D	0.2090	1	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2130-1980-50-2-12D	0.2130	1	0.1980	0.5	1/4-28	10° R	6	135°	3
PR2188-2020-50-2-12D	0.2188	1	0.2020	0.5	1/4-28	10° R	6	135°	3
PR2210-2050-50-2-12D	0.2210	1	0.2050	0.5	1/4-28	10° R	6	135°	3
PR2280-2120-50-2-12D	0.2280	1	0.2120	0.5	1/4-28	10° R	6	135°	3
PR2340-2180-50-2-12D	0.2340	1	0.2180	0.5	1/4-28	10° R	6	135°	3
PR2344-2180-50-2-12D	0.2344	1	0.2180	0.5	1/4-28	10° R	6	135°	3
PR2380-2200-50-2-12D	0.2380	1	0.2200	0.5	1/4-28	10° R	6	135°	3
PR2420-2270-50-2-12D	0.2420	1	0.2270	0.5	1/4-28	10° R	6	135°	3
PR2460-2340-50-2-12D	0.2460	1	0.2340	0.5	1/4-28	10° R	6	135°	3
PR2500-2340-50-2-12D	0.2500	1	0.2340	0.5	1/4-28	10° R	6	135°	3
PR2570-2410-50-2-12D	0.2570	1	0.2410	0.5	1/4-28	10° R	6	135°	3
PR2610-2450-50-2-12D	0.2610	1	0.2450	0.5	1/4-28	10° R	6	135°	3
PR2658-2490-50-2-12D	0.2658	1	0.2490	0.5	1/4-28	10° R	6	135°	3
PR2600-2490-50-2-12D	0.2600	1	0.2490	0.5	1/4-28	10° R	6	135°	3
PR2720-2560-50-2-12D	0.2720	1	0.2560	0.5	1/4-28	10° R	6	135°	3
PR2770-2650-50-2-12D	0.2770	1	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2810-2650-50-2-12D	0.2810	1	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2812-2650-50-2-12D	0.2812	1	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2900-2780-50-2-12D	0.2900	1	0.2780	0.5	1/4-28	10° R	6	135°	3
PR2950-2800-50-2-12D	0.2950	1	0.2800	0.5	1/4-28	10° R	6	135°	3
PR2969-2800-50-2-12D	0.2969	1	0.2800	0.5	1/4-28	10° R	6	135°	3
PR3020-2890-50-2-12D	0.3020	1	0.2890	0.5	1/4-28	10° R	6	135°	3
PR3125-2960-50-2-12D	0.3125	1	0.2960	0.5	1/4-28	10° R	6	135°	3
PR3160-3010-50-2-12D	0.3160	1	0.3010	0.5	1/4-28	10° R	6	135°	3
PR3230-3120-50-2-12D	0.3230	1	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3281-3120-50-2-12D	0.3281	1	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3320-3120-50-2-12D	0.3320	1	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3390-3270-50-2-12D	0.3390	1	0.3270	0.5	1/4-28	10° R	6	135°	3
PR3438-3270-50-2-12D	0.3438	1	0.3270	0.5	1/4-28	10° R	6	135°	3
PR3480-3310-50-2-12D	0.3480	1	0.3310	0.5	1/4-28	10° R	6	135°	3
PR3580-3430-50-2-12D	0.3580	1	0.3430	0.5	1/4-28	10° R	6	135°	3
PR3594-3430-50-2-12D	0.3594	1	0.3430	0.5	1/4-28	10° R	6	135°	3
PR3680-3570-50-2-12D	0.3680	1	0.3570	0.5	1/4-28	10° R	6	135°	3
PR3750-3590-50-4-12D	0.3750	1	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3770-3590-50-4-12D	0.3770	1	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3860-3590-50-4-12D	0.3860	1	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3906-3760-50-4-12D	0.3906	1	0.3760	0.5	3/8-24	10° R	6	135°	3
PR3970-3850-50-4-12D	0.3970	1	0.3850	0.5	3/8-24	10° R	6	135°	3
PR4040-3900-50-4-12D	0.4040	1	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4062-3900-50-4-12D	0.4062	1	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4130-3900-50-4-12D	0.4130	1	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4219-4050-50-4-12D	0.4219	1	0.4050	0.5	3/8-24	10° R	6	135°	3
PR4375-4210-50-4-12D	0.4375	1	0.4210	0.5	3/8-24	10° R	6	135°	3
PR4531-4370-50-4-12D	0.4531	1	0.4370	0.5	3/8-24	10° R	6	135°	3



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Pneumatic Pilot Reamer with Dimand Coating

鑽石鍍層氣動領先鉸刀

Order Code	FD	FL	PD	PL	THD	FS	Z	CH	OL	inch
型號	大直徑	大直徑 刀長	小直徑	小直徑 刀長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	全長	
PR4688-4820-50-4-12D	0.4688	1	0.4820	0.5	3/8-24	10° R	6	135°	3	
PR4844-4680-50-4-12D	0.4844	1	0.4680	0.5	3/8-24	10° R	8	135°	3	
PR5000-4830-50-4-12D	0.5000	1	0.4830	0.5	3/8-24	10° R	8	135°	3	
PR5312-5140-50-4-12D	0.5312	1	0.5140	0.5	3/8-24	10° R	8	135°	3	
PR5625-5460-50-4-16D	0.5625	1	0.5460	0.5	3/8-24	10° R	8	135°	4	
PR5938-5610-50-4-16D	0.5938	1	0.5610	0.5	3/8-24	10° R	8	135°	4	
PR6250-5920-50-4-16D	0.6250	1	0.5920	0.5	3/8-24	10° R	8	135°	4	
PR6562-6240-50-4-16D	0.6562	1	0.6240	0.5	3/8-24	10° R	8	135°	4	
PR6875-6550-50-4-16D	0.6875	1	0.6550	0.5	3/8-24	10° R	8	135°	4	
PR7188-6860-50-4-16D	0.7188	1	0.6860	0.5	3/8-24	10° R	8	135°	4	
PR7500-7180-50-4-16D	0.7500	1	0.7180	0.5	3/8-24	10° R	8	135°	4	
PR7812-7490-50-4-16D	0.7812	1	0.7490	0.5	3/8-24	10° R	8	135°	4	
PR8125-7490-50-4-16D	0.8125	1	0.7490	0.5	3/8-24	10° R	8	135°	4	
PR8438-8110-50-4-16D	0.8438	1	0.8110	0.5	3/8-24	10° R	8	135°	4	
PR8750-8430-50-4-16D	0.8750	1	0.8430	0.5	3/8-24	10° R	8	135°	4	
PR9062-8740-50-4-16D	0.9062	1	0.8740	0.5	3/8-24	10° R	10	135°	4	
PR9375-9050-50-4-16D	0.9375	1	0.9050	0.5	3/8-24	10° R	10	135°	4	
PR9688-9360-50-4-16D	0.9688	1	0.9360	0.5	3/8-24	10° R	10	135°	4	
PR10000-9680-50-4-16D	1.0000	1	0.9680	0.5	3/8-24	10° R	10	135°	4	
PR10313-10000-50-4-16D	1.0313	1	1.0000	0.5	3/8-24	10° R	10	135°	4	
PR10625-10300-50-4-16D	1.0625	1	1.0300	0.5	3/8-24	10° R	10	135°	4	
PR10938-10620-50-4-16D	1.0938	1	1.0620	0.5	3/8-24	10° R	10	135°	4	
PR11250-10920-50-4-16D	1.1250	1	1.0920	0.5	3/8-24	10° R	10	135°	4	
PR11562-11240-50-4-16D	1.1562	1	1.1240	0.5	3/8-24	10° R	10	135°	4	
PR11875-11550-50-4-16D	1.1875	1	1.1550	0.5	3/8-24	10° R	10	135°	4	
PR12188-11870-50-4-16D	1.2188	1	1.1870	0.5	3/8-24	10° R	10	135°	4	
PR12500-12170-50-4-16D	1.2500	1	1.2170	0.5	3/8-24	10° R	10	135°	4	
PR12812-12490-50-4-16D	1.2812	1	1.2490	0.5	3/8-24	10° R	10	135°	4	
PR13126-12810-50-4-16D	1.3126	1	1.2810	0.5	3/8-24	10° R	10	135°	4	
PR13438-13120-50-4-16D	1.3438	1	1.3120	0.5	3/8-24	10° R	10	135°	4	
PR13750-13420-50-4-16D	1.3750	1	1.3420	0.5	3/8-24	10° R	10	135°	4	
PR14062-13740-50-4-16D	1.4062	1	1.3740	0.5	3/8-24	10° R	10	135°	4	
PR14375-14060-50-4-16D	1.4375	1	1.4060	0.5	3/8-24	10° R	10	135°	4	
PR14688-14370-50-4-16D	1.4688	1	1.4370	0.5	3/8-24	10° R	10	135°	4	
PR15000 14670 50 4 16D	1.5000	1	1.4670	0.5	3/8-24	10° R	10	135°	4	




- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



HSS Double Margin Pneumatic Pilot Reamer

高速鋼二倍刃長氣動領先鉸刀



Order Code	FD	FL	PD	PL	THD	FS	Z	CH	inch OL
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	全長
PR1285-1120-50-2-12-2L	0.1285	2	0.1120	0.5	1/4-28	10°R	6	135°	3
PR1360-1190-50-2-12-2L	0.1360	2	0.1190	0.5	1/4-28	10°R	6	135°	3
PR1405-1240-50-2-12-2L	0.1405	2	0.1240	0.5	1/4-28	10°R	6	135°	3
PR1460-1240-50-2-12-2L	0.1460	2	0.1240	0.5	1/4-28	10°R	6	135°	3
PR1440-1280-50-2-12-2L	0.1440	2	0.1280	0.5	1/4-28	10°R	6	135°	3
PR1470-1280-50-2-12-2L	0.1470	2	0.1280	0.5	1/4-28	10°R	6	135°	3
PR1495-1350-50-2-12-2L	0.1495	2	0.1350	0.5	1/4-28	10°R	6	135°	3
PR1520-1350-50-2-12-2L	0.1520	2	0.1350	0.5	1/4-28	10°R	6	135°	3
PR1540-1400-50-2-12-2L	0.1540	2	0.1400	0.5	1/4-28	10°R	6	135°	3
PR1562-1400-50-2-12-2L	0.1562	2	0.1400	0.5	1/4-28	10°R	6	135°	3
PR1570-1430-50-2-12-2L	0.1570	2	0.1430	0.5	1/4-28	10°R	6	135°	3
PR1590-1460-50-2-12-2L	0.1590	2	0.1460	0.5	1/4-28	10°R	6	135°	3
PR1610-1460-50-2-12-2L	0.1610	2	0.1460	0.5	1/4-28	10°R	6	135°	3
PR1660-1510-50-2-12-2L	0.1660	2	0.1510	0.5	1/4-28	10°R	6	135°	3
PR1696-1530-50-2-12-2L	0.1696	2	0.1530	0.5	1/4-28	10°R	6	135°	3
PR1719-1550-50-2-12-2L	0.1719	2	0.1550	0.5	1/4-28	10°R	6	135°	3
PR1730-1560-50-2-12-2L	0.1730	2	0.1560	0.5	1/4-28	10°R	6	135°	3
PR1770-1600-50-2-12-2L	0.1770	2	0.1600	0.5	1/4-28	10°R	6	135°	3
PR1800-1650-50-2-12-2L	0.1800	2	0.1650	0.5	1/4-28	10°R	6	135°	3
PR1820-1650-50-2-12-2L	0.1820	2	0.1650	0.5	1/4-28	10°R	6	135°	3
PR1850-1710-50-2-12-2L	0.1850	2	0.1710	0.5	1/4-28	10°R	6	135°	3
PR1875-1710-50-2-12-2L	0.1875	2	0.1710	0.5	1/4-28	10°R	6	135°	3
PR1890-1760-50-2-12-2L	0.1890	2	0.1760	0.5	1/4-28	10°R	6	135°	3
PR1910-1760-50-2-12-2L	0.1910	2	0.1760	0.5	1/4-28	10°R	6	135°	3
PR1935-1760-50-2-12-2L	0.1935	2	0.1760	0.5	1/4-28	10°R	6	135°	3
PR1960-1790-50-2-12-2L	0.1960	2	0.1790	0.5	1/4-28	10°R	6	135°	3
PR1990-1870-50-2-12-2L	0.1990	2	0.1870	0.5	1/4-28	10°R	6	135°	3
PR2010-1870-50-2-12-2L	0.2010	2	0.1870	0.5	1/4-28	10°R	6	135°	3

PR

DD

GB

CD

ST

NC

NH

ACD

DC

SACC

SCC

SFHC

AFC

HSS Pneumatic Pilot Reamer

高速鋼氣動領先鉸刀

Order Code	FD	FL	PD	PL	THD	FS	Z	CH	inch 全長
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	OL
PR2030-1870-50-2-12-2L	0.2030	2	0.1870	0.5	1/4-28	10° R	6	135°	3
PR2040-1900-50-2-12-2L	0.2040	2	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2055-1900-50-2-12-2L	0.2055	2	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2090-1900-50-2-12-2L	0.2090	2	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2130-1980-50-2-12-2L	0.2130	2	0.1980	0.5	1/4-28	10° R	6	135°	3
PR2188-2020-50-2-12-2L	0.2188	2	0.2020	0.5	1/4-28	10° R	6	135°	3
PR2210-2050-50-2-12-2L	0.2210	2	0.2050	0.5	1/4-28	10° R	6	135°	3
PR2280-2120-50-2-12-2L	0.2280	2	0.2120	0.5	1/4-28	10° R	6	135°	3
PR2340-2180-50-2-12-2L	0.2340	2	0.2180	0.5	1/4-28	10° R	6	135°	3
PR2344-2180-50-2-12-2L	0.2344	2	0.2180	0.5	1/4-28	10° R	6	135°	3
PR2380-2200-50-2-12-2L	0.2380	2	0.2200	0.5	1/4-28	10° R	6	135°	3
PR2420-2270-50-2-12-2L	0.2420	2	0.2270	0.5	1/4-28	10° R	6	135°	3
PR2460-2340-50-2-12-2L	0.2460	2	0.2340	0.5	1/4-28	10° R	6	135°	3
PR2500-2340-50-2-12-2L	0.2500	2	0.2340	0.5	1/4-28	10° R	6	135°	3
PR2570-2410-50-2-12-2L	0.2570	2	0.2410	0.5	1/4-28	10° R	6	135°	3
PR2610-2450-50-2-12-2L	0.2610	2	0.2450	0.5	1/4-28	10° R	6	135°	3
PR2658-2490-50-2-12-2L	0.2658	2	0.2490	0.5	1/4-28	10° R	6	135°	3
PR2600-2490-50-2-12-2L	0.2600	2	0.2490	0.5	1/4-28	10° R	6	135°	3
PR2720-2560-50-2-12-2L	0.2720	2	0.2560	0.5	1/4-28	10° R	6	135°	3
PR2770-2650-50-2-12-2L	0.2770	2	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2810-2650-50-2-12-2L	0.2810	2	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2812-2650-50-2-12-2L	0.2812	2	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2900-2780-50-2-12-2L	0.2900	2	0.2780	0.5	1/4-28	10° R	6	135°	3
PR2950-2800-50-2-12-2L	0.2950	2	0.2800	0.5	1/4-28	10° R	6	135°	3
PR2969-2800-50-2-12-2L	0.2969	2	0.2800	0.5	1/4-28	10° R	6	135°	3
PR3020-2890-50-2-12-2L	0.3020	2	0.2890	0.5	1/4-28	10° R	6	135°	3
PR3125-2960-50-2-12-2L	0.3125	2	0.2960	0.5	1/4-28	10° R	6	135°	3
PR3160-3010-50-2-12-2L	0.3160	2	0.3010	0.5	1/4-28	10° R	6	135°	3
PR3230-3120-50-2-12-2L	0.3230	2	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3281-3120-50-2-12-2L	0.3281	2	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3320-3120-50-2-12-2L	0.3320	2	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3390-3270-50-2-12-2L	0.3390	2	0.3270	0.5	1/4-28	10° R	6	135°	3
PR3438-3270-50-2-12-2L	0.3438	2	0.3270	0.5	1/4-28	10° R	6	135°	3
PR3480-3310-50-2-12-2L	0.3480	2	0.3310	0.5	1/4-28	10° R	6	135°	3
PR3580-3430-50-2-12-2L	0.3580	2	0.3430	0.5	1/4-28	10° R	6	135°	3
PR3594-3430-50-2-12-2L	0.3594	2	0.3430	0.5	1/4-28	10° R	6	135°	3
PR3680-3570-50-2-12-2L	0.3680	2	0.3570	0.5	1/4-28	10° R	6	135°	3
PR3750-3590-50-4-12-2L	0.3750	2	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3770-3590-50-4-12-2L	0.3770	2	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3860-3590-50-4-12-2L	0.3860	2	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3906-3760-50-4-12-2L	0.3906	2	0.3760	0.5	3/8-24	10° R	6	135°	3
PR3970-3850-50-4-12-2L	0.3970	2	0.3850	0.5	3/8-24	10° R	6	135°	3
PR4040-3900-50-4-12-2L	0.4040	2	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4062-3900-50-4-12-2L	0.4062	2	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4130-3900-50-4-12-2L	0.4130	2	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4219-4050-50-4-12-2L	0.4219	2	0.4050	0.5	3/8-24	10° R	6	135°	3
PR4375-4210-50-4-12-2L	0.4375	2	0.4210	0.5	3/8-24	10° R	6	135°	3
PR4531-4370-50-4-12-2L	0.4531	2	0.4370	0.5	3/8-24	10° R	6	135°	3



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

HSS Double Margin Pneumatic Pilot Reamer

高速鋼二倍刃長氣動領先鉸刀

Order Code	FD	FL	PD	PL	THD	FS	Z	CH	OL	inch
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	全長	
PR4688-4820-50-4-12-2L	0.4688	2	0.4820	0.5	3/8-24	10° R	6	135°	3	
PR4844-4680-50-4-12-2L	0.4844	2	0.4680	0.5	3/8-24	10° R	8	135°	3	
PR5000-4830-50-4-12-2L	0.5000	2	0.4830	0.5	3/8-24	10° R	8	135°	3	
PR5312-5140-50-4-12-2L	0.5312	2	0.5140	0.5	3/8-24	10° R	8	135°	3	
PR5625-5460-50-4-16-2L	0.5625	2	0.5460	0.5	3/8-24	10° R	8	135°	4	
PR5938-5610-50-4-16-2L	0.5938	2	0.5610	0.5	3/8-24	10° R	8	135°	4	
PR6250-5920-50-4-16-2L	0.6250	2	0.5920	0.5	3/8-24	10° R	8	135°	4	
PR6562-6240-50-4-16-2L	0.6562	2	0.6240	0.5	3/8-24	10° R	8	135°	4	
PR6875-6550-50-4-16-2L	0.6875	2	0.6550	0.5	3/8-24	10° R	8	135°	4	
PR7188-6860-50-4-16-2L	0.7188	2	0.6860	0.5	3/8-24	10° R	8	135°	4	
PR7500-7180-50-4-16-2L	0.7500	2	0.7180	0.5	3/8-24	10° R	8	135°	4	
PR7812-7490-50-4-16-2L	0.7812	2	0.7490	0.5	3/8-24	10° R	8	135°	4	
PR8125-7490-50-4-16-2L	0.8125	2	0.7490	0.5	3/8-24	10° R	8	135°	4	
PR8438-8110-50-4-16-2L	0.8438	2	0.8110	0.5	3/8-24	10° R	8	135°	4	
PR8750-8430-50-4-16-2L	0.8750	2	0.8430	0.5	3/8-24	10° R	8	135°	4	
PR9062-8740-50-4-16-2L	0.9062	2	0.8740	0.5	3/8-24	10° R	10	135°	4	
PR9375-9050-50-4-16-2L	0.9375	2	0.9050	0.5	3/8-24	10° R	10	135°	4	
PR9688-9360-50-4-16-2L	0.9688	2	0.9360	0.5	3/8-24	10° R	10	135°	4	
PR10000-9680-50-4-16-2L	1.0000	2	0.9680	0.5	3/8-24	10° R	10	135°	4	
PR10313-10000-50-4-16-2L	1.0313	2	1.0000	0.5	3/8-24	10° R	10	135°	4	
PR10625-10300-50-4-16-2L	1.0625	2	1.0300	0.5	3/8-24	10° R	10	135°	4	
PR10938-10620-50-4-16-2L	1.0938	2	1.0620	0.5	3/8-24	10° R	10	135°	4	
PR11250-10920-50-4-16-2L	1.1250	2	1.0920	0.5	3/8-24	10° R	10	135°	4	
PR11562-11240-50-4-16-2L	1.1562	2	1.1240	0.5	3/8-24	10° R	10	135°	4	
PR11875-11550-50-4-16-2L	1.1875	2	1.1550	0.5	3/8-24	10° R	10	135°	4	
PR12188-11870-50-4-16-2L	1.2188	2	1.1870	0.5	3/8-24	10° R	10	135°	4	
PR12500-12170-50-4-16-2L	1.2500	2	1.2170	0.5	3/8-24	10° R	10	135°	4	
PR12812-12490-50-4-16-2L	1.2812	2	1.2490	0.5	3/8-24	10° R	10	135°	4	
PR13126-12810-50-4-16-2L	1.3126	2	1.2810	0.5	3/8-24	10° R	10	135°	4	
PR13438-13120-50-4-16-2L	1.3438	2	1.3120	0.5	3/8-24	10° R	10	135°	4	
PR13750-13420-50-4-16-2L	1.3750	2	1.3420	0.5	3/8-24	10° R	10	135°	4	
PR14062-13740-50-4-16-2L	1.4062	2	1.3740	0.5	3/8-24	10° R	10	135°	4	
PR14375-14060-50-4-16-2L	1.4375	2	1.4060	0.5	3/8-24	10° R	10	135°	4	
PR14688-14370-50-4-16-2L	1.4688	2	1.4370	0.5	3/8-24	10° R	10	135°	4	
PR15000-14670-50-4-16-2L	1.5000	2	1.4670	0.5	3/8-24	10° R	10	135°	4	





- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Double Margin Pneumatic Pilot Reamer with Dimand Coating

鑽石鍍層二倍刃長氣動領先鉸刀

PR-2L-D



Order Code	FD	FL	PD	PL	THD	FS	Z	CH	inch OL
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	全長
PR1285-1120-50-2-12-2LD	0.1285	2	0.1120	0.5	1/4-28	10°R	6	135°	3
PR1360-1190-50-2-12-2LD	0.1360	2	0.1190	0.5	1/4-28	10°R	6	135°	3
PR1405-1240-50-2-12-2LD	0.1405	2	0.1240	0.5	1/4-28	10°R	6	135°	3
PR1460-1240-50-2-12-2LD	0.1460	2	0.1240	0.5	1/4-28	10°R	6	135°	3
PR1440-1280-50-2-12-2LD	0.1440	2	0.1280	0.5	1/4-28	10°R	6	135°	3
PR1470-1280-50-2-12-2LD	0.1470	2	0.1280	0.5	1/4-28	10°R	6	135°	3
PR1495-1350-50-2-12-2LD	0.1495	2	0.1350	0.5	1/4-28	10°R	6	135°	3
PR1520-1350-50-2-12-2LD	0.1520	2	0.1350	0.5	1/4-28	10°R	6	135°	3
PR1540-1400-50-2-12-2LD	0.1540	2	0.1400	0.5	1/4-28	10°R	6	135°	3
PR1562-1400-50-2-12-2LD	0.1562	2	0.1400	0.5	1/4-28	10°R	6	135°	3
PR1570-1430-50-2-12-2LD	0.1570	2	0.1430	0.5	1/4-28	10°R	6	135°	3
PR1590-1460-50-2-12-2LD	0.1590	2	0.1460	0.5	1/4-28	10°R	6	135°	3
PR1610-1460-50-2-12-2LD	0.1610	2	0.1460	0.5	1/4-28	10°R	6	135°	3
PR1660-1510-50-2-12-2LD	0.1660	2	0.1510	0.5	1/4-28	10°R	6	135°	3
PR1696-1530-50-2-12-2LD	0.1696	2	0.1530	0.5	1/4-28	10°R	6	135°	3
PR1719-1550-50-2-12-2LD	0.1719	2	0.1550	0.5	1/4-28	10°R	6	135°	3
PR1730-1560-50-2-12-2LD	0.1730	2	0.1560	0.5	1/4-28	10°R	6	135°	3
PR1770-1600-50-2-12-2LD	0.1770	2	0.1600	0.5	1/4-28	10°R	6	135°	3
PR1800-1650-50-2-12-2LD	0.1800	2	0.1650	0.5	1/4-28	10°R	6	135°	3
PR1820-1650-50-2-12-2LD	0.1820	2	0.1650	0.5	1/4-28	10°R	6	135°	3
PR1850-1710-50-2-12-2LD	0.1850	2	0.1710	0.5	1/4-28	10°R	6	135°	3
PR1875-1710-50-2-12-2LD	0.1875	2	0.1710	0.5	1/4-28	10°R	6	135°	3
PR1890-1760-50-2-12-2LD	0.1890	2	0.1760	0.5	1/4-28	10°R	6	135°	3
PR1910-1760-50-2-12-2LD	0.1910	2	0.1760	0.5	1/4-28	10°R	6	135°	3
PR1935-1760-50-2-12-2LD	0.1935	2	0.1760	0.5	1/4-28	10°R	6	135°	3
PR1960-1790-50-2-12-2LD	0.1960	2	0.1790	0.5	1/4-28	10°R	6	135°	3
PR1990-1870-50-2-12-2LD	0.1990	2	0.1870	0.5	1/4-28	10°R	6	135°	3
PR2010-1870-50-2-12-2LD	0.2010	2	0.1870	0.5	1/4-28	10°R	6	135°	3



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



Double Margin Pneumatic Pilot Reamer with Dimand Coating

鑽石鍍層二倍刃長氣動領先鉸刀

Order Code	FD	FL	PD	PL	THD	FS	Z	CH	inch 全長
型號	大直徑	大直徑 刃長	小直徑	小直徑 刃長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	OL
PR2030-1870-50-2-12-2LD	0.2030	2	0.1870	0.5	1/4-28	10° R	6	135°	3
PR2040-1900-50-2-12-2LD	0.2040	2	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2055-1900-50-2-12-2LD	0.2055	2	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2090-1900-50-2-12-2LD	0.2090	2	0.1900	0.5	1/4-28	10° R	6	135°	3
PR2130-1980-50-2-12-2LD	0.2130	2	0.1980	0.5	1/4-28	10° R	6	135°	3
PR2188-2020-50-2-12-2LD	0.2188	2	0.2020	0.5	1/4-28	10° R	6	135°	3
PR2210-2050-50-2-12-2LD	0.2210	2	0.2050	0.5	1/4-28	10° R	6	135°	3
PR2280-2120-50-2-12-2LD	0.2280	2	0.2120	0.5	1/4-28	10° R	6	135°	3
PR2340-2180-50-2-12-2LD	0.2340	2	0.2180	0.5	1/4-28	10° R	6	135°	3
PR2344-2180-50-2-12-2LD	0.2344	2	0.2180	0.5	1/4-28	10° R	6	135°	3
PR2380-2200-50-2-12-2LD	0.2380	2	0.2200	0.5	1/4-28	10° R	6	135°	3
PR2420-2270-50-2-12-2LD	0.2420	2	0.2270	0.5	1/4-28	10° R	6	135°	3
PR2460-2340-50-2-12-2LD	0.2460	2	0.2340	0.5	1/4-28	10° R	6	135°	3
PR2500-2340-50-2-12-2LD	0.2500	2	0.2340	0.5	1/4-28	10° R	6	135°	3
PR2570-2410-50-2-12-2LD	0.2570	2	0.2410	0.5	1/4-28	10° R	6	135°	3
PR2610-2450-50-2-12-2LD	0.2610	2	0.2450	0.5	1/4-28	10° R	6	135°	3
PR2658-2490-50-2-12-2LD	0.2658	2	0.2490	0.5	1/4-28	10° R	6	135°	3
PR2600-2490-50-2-12-2LD	0.2600	2	0.2490	0.5	1/4-28	10° R	6	135°	3
PR2720-2560-50-2-12-2LD	0.2720	2	0.2560	0.5	1/4-28	10° R	6	135°	3
PR2770-2650-50-2-12-2LD	0.2770	2	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2810-2650-50-2-12-2LD	0.2810	2	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2812-2650-50-2-12-2LD	0.2812	2	0.2650	0.5	1/4-28	10° R	6	135°	3
PR2900-2780-50-2-12-2LD	0.2900	2	0.2780	0.5	1/4-28	10° R	6	135°	3
PR2950-2800-50-2-12-2LD	0.2950	2	0.2800	0.5	1/4-28	10° R	6	135°	3
PR2969-2800-50-2-12-2LD	0.2969	2	0.2800	0.5	1/4-28	10° R	6	135°	3
PR3020-2890-50-2-12-2LD	0.3020	2	0.2890	0.5	1/4-28	10° R	6	135°	3
PR3125-2960-50-2-12-2LD	0.3125	2	0.2960	0.5	1/4-28	10° R	6	135°	3
PR3160-3010-50-2-12-2LD	0.3160	2	0.3010	0.5	1/4-28	10° R	6	135°	3
PR3230-3120-50-2-12-2LD	0.3230	2	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3281-3120-50-2-12-2LD	0.3281	2	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3320-3120-50-2-12-2LD	0.3320	2	0.3120	0.5	1/4-28	10° R	6	135°	3
PR3390-3270-50-2-12-2LD	0.3390	2	0.3270	0.5	1/4-28	10° R	6	135°	3
PR3438-3270-50-2-12-2LD	0.3438	2	0.3270	0.5	1/4-28	10° R	6	135°	3
PR3480-3310-50-2-12-2LD	0.3480	2	0.3310	0.5	1/4-28	10° R	6	135°	3
PR3580-3430-50-2-12-2LD	0.3580	2	0.3430	0.5	1/4-28	10° R	6	135°	3
PR3594-3430-50-2-12-2LD	0.3594	2	0.3430	0.5	1/4-28	10° R	6	135°	3
PR3680-3570-50-2-12-2LD	0.3680	2	0.3570	0.5	1/4-28	10° R	6	135°	3
PR3750-3590-50-4-12-2LD	0.3750	2	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3770-3590-50-4-12-2LD	0.3770	2	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3860-3590-50-4-12-2LD	0.3860	2	0.3590	0.5	3/8-24	10° R	6	135°	3
PR3906-3760-50-4-12-2LD	0.3906	2	0.3760	0.5	3/8-24	10° R	6	135°	3
PR3970-3850-50-4-12-2LD	0.3970	2	0.3850	0.5	3/8-24	10° R	6	135°	3
PR4040-3900-50-4-12-2LD	0.4040	2	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4062-3900-50-4-12-2LD	0.4062	2	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4130-3900-50-4-12-2LD	0.4130	2	0.3900	0.5	3/8-24	10° R	6	135°	3
PR4219-4050-50-4-12-2LD	0.4219	2	0.4050	0.5	3/8-24	10° R	6	135°	3
PR4375-4210-50-4-12-2LD	0.4375	2	0.4210	0.5	3/8-24	10° R	6	135°	3
PR4531-4370-50-4-12-2LD	0.4531	2	0.4370	0.5	3/8-24	10° R	6	135°	3



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Double Margin Pneumatic Pilot Reamer with Dimand Coating

鑽石鍍層二倍刀長氣動領先鉸刀

Order Code	FD	FL	PD	PL	THD	FS	Z	CH	OL
型號	大直徑	大直徑 刀長	小直徑	小直徑 刀長	螺紋 型式	螺旋 角度	刃數	大直徑 倒角度	全長
PR4688-4820-50-4-12-2LD	0.4688	2	0.4820	0.5	3/8-24	10° R	6	135°	3
PR4844-4680-50-4-12-2LD	0.4844	2	0.4680	0.5	3/8-24	10° R	8	135°	3
PR5000-4830-50-4-12-2LD	0.5000	2	0.4830	0.5	3/8-24	10° R	8	135°	3
PR5312-5140-50-4-12-2LD	0.5312	2	0.5140	0.5	3/8-24	10° R	8	135°	3
PR5625-5460-50-4-16-2LD	0.5625	2	0.5460	0.5	3/8-24	10° R	8	135°	4
PR5938-5610-50-4-16-2LD	0.5938	2	0.5610	0.5	3/8-24	10° R	8	135°	4
PR6250-5920-50-4-16-2LD	0.6250	2	0.5920	0.5	3/8-24	10° R	8	135°	4
PR6562-6240-50-4-16-2LD	0.6562	2	0.6240	0.5	3/8-24	10° R	8	135°	4
PR6875-6550-50-4-16-2LD	0.6875	2	0.6550	0.5	3/8-24	10° R	8	135°	4
PR7188-6860-50-4-16-2LD	0.7188	2	0.6860	0.5	3/8-24	10° R	8	135°	4
PR7500-7180-50-4-16-2LD	0.7500	2	0.7180	0.5	3/8-24	10° R	8	135°	4
PR7812-7490-50-4-16-2LD	0.7812	2	0.7490	0.5	3/8-24	10° R	8	135°	4
PR8125-7490-50-4-16-2LD	0.8125	2	0.7490	0.5	3/8-24	10° R	8	135°	4
PR8438-8110-50-4-16-2LD	0.8438	2	0.8110	0.5	3/8-24	10° R	8	135°	4
PR8750-8430-50-4-16-2LD	0.8750	2	0.8430	0.5	3/8-24	10° R	8	135°	4
PR9062-8740-50-4-16-2LD	0.9062	2	0.8740	0.5	3/8-24	10° R	10	135°	4
PR9375-9050-50-4-16-2LD	0.9375	2	0.9050	0.5	3/8-24	10° R	10	135°	4
PR9688-9360-50-4-16-2LD	0.9688	2	0.9360	0.5	3/8-24	10° R	10	135°	4
PR10000-9680-50-4-16-2LD	1.0000	2	0.9680	0.5	3/8-24	10° R	10	135°	4
PR10313-10000-50-4-16-2LD	1.0313	2	1.0000	0.5	3/8-24	10° R	10	135°	4
PR10625-10300-50-4-16-2LD	1.0625	2	1.0300	0.5	3/8-24	10° R	10	135°	4
PR10938-10620-50-4-16-2LD	1.0938	2	1.0620	0.5	3/8-24	10° R	10	135°	4
PR11250-10920-50-4-16-2LD	1.1250	2	1.0920	0.5	3/8-24	10° R	10	135°	4
PR11562-11240-50-4-16-2LD	1.1562	2	1.1240	0.5	3/8-24	10° R	10	135°	4
PR11875-11550-50-4-16-2LD	1.1875	2	1.1550	0.5	3/8-24	10° R	10	135°	4
PR12188-11870-50-4-16-2LD	1.2188	2	1.1870	0.5	3/8-24	10° R	10	135°	4
PR12500-12170-50-4-16-2LD	1.2500	2	1.2170	0.5	3/8-24	10° R	10	135°	4
PR12812-12490-50-4-16-2LD	1.2812	2	1.2490	0.5	3/8-24	10° R	10	135°	4
PR13126-12810-50-4-16-2LD	1.3126	2	1.2810	0.5	3/8-24	10° R	10	135°	4
PR13438-13120-50-4-16-2LD	1.3438	2	1.3120	0.5	3/8-24	10° R	10	135°	4
PR13750-13420-50-4-16-2LD	1.3750	2	1.3420	0.5	3/8-24	10° R	10	135°	4
PR14062-13740-50-4-16-2LD	1.4062	2	1.3740	0.5	3/8-24	10° R	10	135°	4
PR14375-14060-50-4-16-2LD	1.4375	2	1.4060	0.5	3/8-24	10° R	10	135°	4
PR14688-14370-50-4-16-2LD	1.4688	2	1.4370	0.5	3/8-24	10° R	10	135°	4
PR15000-14670-50-4-16-2LD	1.5000	2	1.4670	0.5	3/8-24	10° R	10	135°	4

inch




- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



HSS Tapered Straight Flute Thread Reamer

高速鋼斜度直刃螺牙鉸刀



Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	螺牙 總長度	螺紋 型式
PRAD-0182-01875	0.182	0.1875	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0198-02031	0.198	0.2031	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0213-02188	0.213	0.2188	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0229-02344	0.229	0.2344	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0260-02656	0.260	0.2656	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0276-02813	0.276	0.2813	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0291-02969	0.291	0.2969	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0307-03125	0.307	0.3125	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0323-03281	0.323	0.3281	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0338-03438	0.338	0.3438	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0354-03594	0.354	0.3594	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0370-03750	0.370	0.3750	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0385-03906	0.385	0.3906	0.312	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0401-04063	0.401	0.4063	0.312	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0416-04219	0.416	0.4219	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0432-04375	0.432	0.4375	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0448-04531	0.448	0.4531	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0463-04688	0.463	0.4688	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0479-04844	0.479	0.4844	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0495-05000	0.495	0.5000	0.453	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0510-05156	0.510	0.5156	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0526-05313	0.526	0.5313	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0541-05469	0.541	0.5469	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0557-05625	0.557	0.5625	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0573-05781	0.573	0.5781	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0588-05938	0.588	0.5938	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0604-06094	0.604	0.6094	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0620-06250	0.620	0.6250	0.500	7.500	2.500	3	0.375	3/8 -- 24

HSS Tapered Straight Flute Thread Reamer

高速鋼斜度直刀螺牙鉸刀


Order Code	D1	D2	D3	L	L2	L1	L3	inch
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	螺牙 總長度	螺紋 型式
PRAD-0635-06406	0.635	0.6406	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0651-06563	0.651	0.6563	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0666-06719	0.666	0.6719	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0682-06875	0.682	0.6875	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0698-07031	0.698	0.7031	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0713-07188	0.713	0.7188	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0729-07344	0.729	0.7344	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0745-07500	0.745	0.7500	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0760-07656	0.760	0.7656	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0776-07813	0.776	0.7813	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0791-07969	0.791	0.7969	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0907-08125	0.907	0.8125	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0823-08281	0.823	0.8281	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0838-08438	0.838	0.8438	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0854-08594	0.854	0.8594	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0870-08750	0.870	0.8750	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0885-08906	0.885	0.8906	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0901-09063	0.901	0.9063	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0916-09219	0.916	0.9219	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0932-09375	0.932	0.9375	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0948-09531	0.948	0.9531	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0963-09688	0.963	0.9688	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0979-09844	0.979	0.9844	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0995-10000	0.995	1.0000	0.750	7.500	2.500	3	0.375	3/8 -- 24



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Tapered Straight Flute Thread Reamer with Dimand Coating

鑽石鍍層斜度直刀螺牙鉸刀



Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	螺牙 總長度	螺紋 型式
PRAD-0182-01875D	0.182	0.1875	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0198-02031D	0.198	0.2031	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0213-02188D	0.213	0.2188	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0229-02344D	0.229	0.2344	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0260-02656D	0.260	0.2656	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0276-02813D	0.276	0.2813	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0291-02969D	0.291	0.2969	0.312	6.000	2.000	2	0.250	1/4 -- 28
PRAD-0307-03125D	0.307	0.3125	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0323-03281D	0.323	0.3281	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0338-03438D	0.338	0.3438	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0354-03594D	0.354	0.3594	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0370-03750D	0.370	0.3750	0.312	7.000	2.000	3	0.250	3/8 -- 24
PRAD-0385-03906D	0.385	0.3906	0.312	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0401-04063D	0.401	0.4063	0.312	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0416-04219D	0.416	0.4219	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0432-04375D	0.432	0.4375	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0448-04531D	0.448	0.4531	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0463-04688D	0.463	0.4688	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0479-04844D	0.479	0.4844	0.375	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0495-05000D	0.495	0.5000	0.453	7.000	2.000	3	0.375	3/8 -- 24
PRAD-0510-05156D	0.510	0.5156	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0526-05313D	0.526	0.5313	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0541-05469D	0.541	0.5469	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0557-05625D	0.557	0.5625	0.453	7.500	2.500	3	0.375	3/8 -- 24

Tapered Straight Flute Thread Reamer with Dimand Coating

鑽石鍍層斜度直刀螺牙鉸刀



Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	螺牙 總長度	螺紋 型式
PRAD-0573-05781D	0.573	0.5781	0.453	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0588-05938D	0.588	0.5938	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0604-06094D	0.604	0.6094	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0620-06250D	0.620	0.6250	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0635-06406D	0.635	0.6406	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0651-06563D	0.651	0.6563	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0666-06719D	0.666	0.6719	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0682-06875D	0.682	0.6875	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0698-07031D	0.698	0.7031	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0713-07188D	0.713	0.7188	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0729-07344D	0.729	0.7344	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0745-07500D	0.745	0.7500	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0760-07656D	0.760	0.7656	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0776-07813D	0.776	0.7813	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0791-07969D	0.791	0.7969	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0907-08125D	0.907	0.8125	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0823-08281D	0.823	0.8281	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0838-08438D	0.838	0.8438	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0854-08594D	0.854	0.8594	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0870-08750D	0.870	0.8750	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0885-08906D	0.885	0.8906	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0901-09063D	0.901	0.9063	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0916-09219D	0.916	0.9219	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0932-09375D	0.932	0.9375	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0948-09531D	0.948	0.9531	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0963-09688D	0.963	0.9688	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0979-09844D	0.979	0.9844	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRAD-0995-10000D	0.995	1.0000	0.750	7.500	2.500	3	0.375	3/8 -- 24



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

HSS Tapered Helix Thread Reamer

高速鋼斜度螺旋螺牙鉸刀



Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	螺牙 總長度	螺紋 型式
PRADH-0182-01875	0.182	0.1875	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0198-02031	0.198	0.2031	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0213-02188	0.213	0.2188	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0229-02344	0.229	0.2344	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0260-02656	0.260	0.2656	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0276-02813	0.276	0.2813	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0291-02969	0.291	0.2969	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0307-03125	0.307	0.3125	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0323-03281	0.323	0.3281	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0338-03438	0.338	0.3438	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0354-03594	0.354	0.3594	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0370-03750	0.370	0.3750	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0385-03906	0.385	0.3906	0.312	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0401-04063	0.401	0.4063	0.312	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0416-04219	0.416	0.4219	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0432-04375	0.432	0.4375	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0448-04531	0.448	0.4531	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0463-04688	0.463	0.4688	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0479-04844	0.479	0.4844	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0495-05000	0.495	0.5000	0.453	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0510-05156	0.510	0.5156	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0526-05313	0.526	0.5313	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0541-05469	0.541	0.5469	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0557-05625	0.557	0.5625	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0573-05781	0.573	0.5781	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0588-05938	0.588	0.5938	0.500	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0604-06094	0.604	0.6094	0.500	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0620-06250	0.620	0.6250	0.500	7.500	2.500	3"	0.375	3/8 -- 24

PR

DD

GB

CD

ST

NC

NH

ACD

DC

SACC

SCC

SFHC

AFC

HSS Tapered Helix Thread Reamer

高速鋼斜度螺旋螺牙鉸刀


Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	螺牙 總長度	螺紋 型式
PRADH-0635-06406	0.635	0.6406	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0651-06563	0.651	0.6563	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0666-06719	0.666	0.6719	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0682-06875	0.682	0.6875	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0698-07031	0.698	0.7031	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0713-07188	0.713	0.7188	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0729-07344	0.729	0.7344	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0745-07500	0.745	0.7500	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0760-07656	0.760	0.7656	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0776-07813	0.776	0.7813	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0791-07969	0.791	0.7969	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0907-08125	0.907	0.8125	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0823-08281	0.823	0.8281	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0838-08438	0.838	0.8438	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0854-08594	0.854	0.8594	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0870-08750	0.870	0.8750	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0885-08906	0.885	0.8906	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0901-09063	0.901	0.9063	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0916-09219	0.916	0.9219	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0932-09375	0.932	0.9375	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0948-09531	0.948	0.9531	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0963-09688	0.963	0.9688	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0979-09844	0.979	0.9844	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0995-10000	0.995	1.0000	0.750	7.500	2.500	3	0.375	3/8 -- 24



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Tapered Helix Thread Reamer with Dimand Coating

鑽石鍍層斜度螺旋螺牙鉸刀



Order Code	D1	D2	D3	L	L2	L1	L3	inch
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	螺牙 總長度	螺紋 型式
PRADH-0182-01875D	0.182	0.1875	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0198-02031D	0.198	0.2031	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0213-02188D	0.213	0.2188	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0229-02344D	0.229	0.2344	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0260-02656D	0.260	0.2656	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0276-02813D	0.276	0.2813	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0291-02969D	0.291	0.2969	0.312	6.000	2.000	2"	0.250	1/4 -- 28
PRADH-0307-03125D	0.307	0.3125	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0323-03281D	0.323	0.3281	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0338-03438D	0.338	0.3438	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0354-03594D	0.354	0.3594	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0370-03750D	0.370	0.3750	0.312	7.000	2.000	3"	0.250	3/8 -- 24
PRADH-0385-03906D	0.385	0.3906	0.312	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0401-04063D	0.401	0.4063	0.312	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0416-04219D	0.416	0.4219	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0432-04375D	0.432	0.4375	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0448-04531D	0.448	0.4531	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0463-04688D	0.463	0.4688	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0479-04844D	0.479	0.4844	0.375	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0495-05000D	0.495	0.5000	0.453	7.000	2.000	3"	0.375	3/8 -- 24
PRADH-0510-05156D	0.510	0.5156	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0526-05313D	0.526	0.5313	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0541-05469D	0.541	0.5469	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0557-05625D	0.557	0.5625	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0573-05781D	0.573	0.5781	0.453	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0588-05938D	0.588	0.5938	0.500	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0604-06094D	0.604	0.6094	0.500	7.500	2.500	3"	0.375	3/8 -- 24
PRADH-0620-06250D	0.620	0.6250	0.500	7.500	2.500	3"	0.375	3/8 -- 24

PR

DD

GB

CD

ST

NC

NH

ACD

DC

SACC

SCC

SFHC

AFC

Tapered Helix Thread Reamer with Dimand Coating

鑽石鍍層斜度螺旋螺牙鉸刀


Order Code	D1	D2	D3	L	L2	L1	L3	inch
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	螺牙 總長度	螺紋 型式
PRADH-0635-06406D	0.635	0.6406	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0651-06563D	0.651	0.6563	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0666-06719D	0.666	0.6719	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0682-06875D	0.682	0.6875	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0698-07031D	0.698	0.7031	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0713-07188D	0.713	0.7188	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0729-07344D	0.729	0.7344	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0745-07500D	0.745	0.7500	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0760-07656D	0.760	0.7656	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0776-07813D	0.776	0.7813	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0791-07969D	0.791	0.7969	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0907-08125D	0.907	0.8125	0.500	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0823-08281D	0.823	0.8281	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0838-08438D	0.838	0.8438	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0854-08594D	0.854	0.8594	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0870-08750D	0.870	0.8750	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0885-08906D	0.885	0.8906	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0901-09063D	0.901	0.9063	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0916-09219D	0.916	0.9219	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0932-09375D	0.932	0.9375	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0948-09531D	0.948	0.9531	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0963-09688D	0.963	0.9688	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0979-09844D	0.979	0.9844	0.750	7.500	2.500	3	0.375	3/8 -- 24
PRADH-0995-10000D	0.995	1.0000	0.750	7.500	2.500	3	0.375	3/8 -- 24



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Aviation Tapered Straight Flute Reamer - shank with 3-flat holder

高速鋼斜度直刀三面鉸刀



Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	柄夾持 總長度	柄型式
PRAS-0182-01875	0.182	0.1875	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0198-02031	0.198	0.2031	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0213-02188	0.213	0.2188	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0229-02344	0.229	0.2344	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0260-02656	0.260	0.2656	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0276-02813	0.276	0.2813	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0291-02969	0.291	0.2969	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0307-03125	0.307	0.3125	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0323-03281	0.323	0.3281	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0338-03438	0.338	0.3438	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0354-03594	0.354	0.3594	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0370-03750	0.370	0.3750	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0385-03906	0.385	0.3906	0.312	7.000	2.000	3	0.375	3 Surface
PRAS-0401-04063	0.401	0.4063	0.312	7.000	2.000	3	0.375	3 Surface
PRAS-0416-04219	0.416	0.4219	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0432-04375	0.432	0.4375	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0448-04531	0.448	0.4531	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0463-04688	0.463	0.4688	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0479-04844	0.479	0.4844	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0495-05000	0.495	0.5000	0.453	7.000	2.000	3	0.375	3 Surface
PRAS-0510-05156	0.510	0.5156	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0526-05313	0.526	0.5313	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0541-05469	0.541	0.5469	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0557-05625	0.557	0.5625	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0573-05781	0.573	0.5781	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0588-05938	0.588	0.5938	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0604-06094	0.604	0.6094	0.500	7.500	2.500	3	0.375	3 Surface

Aviation Tapered Straight Flute Reamer - shank with 3-flat holder

高速鋼斜度直刀三面鉸刀

Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	柄夾持 總長度	柄型式
PRAS-0620-06250	0.620	0.6250	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0635-06406	0.635	0.6406	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0651-06563	0.651	0.6563	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0666-06719	0.666	0.6719	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0682-06875	0.682	0.6875	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0698-07031	0.698	0.7031	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0713-07188	0.713	0.7188	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0729-07344	0.729	0.7344	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0745-07500	0.745	0.7500	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0760-07656	0.760	0.7656	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0776-07813	0.776	0.7813	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0791-07969	0.791	0.7969	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0907-08125	0.907	0.8125	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0823-08281	0.823	0.8281	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0838-08438	0.838	0.8438	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0854-08594	0.854	0.8594	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0870-08750	0.870	0.8750	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0885-08906	0.885	0.8906	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0901-09063	0.901	0.9063	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0916-09219	0.916	0.9219	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0932-09375	0.932	0.9375	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0948-09531	0.948	0.9531	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0963-09688	0.963	0.9688	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0979-09844	0.979	0.9844	0.750	7.500	2.500	3	0.375	3 Surface
PRAS-0995-10000	0.995	1.0000	0.750	7.500	2.500	3	0.375	3 Surface




- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC



Aviation Tapered Straight Flute Reamer - shank with 3-flat holder (Dimand Coating)

鑽石鍍層斜度直刀三面鉸刀



Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	柄夾持 總長度	柄型式
PRAS-0182-01875D	0.182	0.1875	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0198-02031D	0.198	0.2031	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0213-02188D	0.213	0.2188	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0229-02344D	0.229	0.2344	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0260-02656D	0.260	0.2656	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0276-02813D	0.276	0.2813	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0291-02969D	0.291	0.2969	0.312	6.000	2.000	2	0.250	3 Surface
PRAS-0307-03125D	0.307	0.3125	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0323-03281D	0.323	0.3281	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0338-03438D	0.338	0.3438	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0354-03594D	0.354	0.3594	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0370-03750D	0.370	0.3750	0.312	7.000	2.000	3	0.250	3 Surface
PRAS-0385-03906D	0.385	0.3906	0.312	7.000	2.000	3	0.375	3 Surface
PRAS-0401-04063D	0.401	0.4063	0.312	7.000	2.000	3	0.375	3 Surface
PRAS-0416-04219D	0.416	0.4219	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0432-04375D	0.432	0.4375	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0448-04531D	0.448	0.4531	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0463-04688D	0.463	0.4688	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0479-04844D	0.479	0.4844	0.375	7.000	2.000	3	0.375	3 Surface
PRAS-0495-05000D	0.495	0.5000	0.453	7.000	2.000	3	0.375	3 Surface
PRAS-0510-05156D	0.510	0.5156	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0526-05313D	0.526	0.5313	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0541-05469D	0.541	0.5469	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0557-05625D	0.557	0.5625	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0573-05781D	0.573	0.5781	0.453	7.500	2.500	3	0.375	3 Surface
PRAS-0588-05938D	0.588	0.5938	0.500	7.500	2.500	3	0.375	3 Surface
PRAS-0604-06094D	0.604	0.6094	0.500	7.500	2.500	3	0.375	3 Surface

Aviation Tapered Straight Flute Reamer - shank with 3-flat holder (Dimand Coating)

鑽石鍍層斜度直刀三面鉸刀


Order Code	D1	D2	D3	L	L2	L1	L3	inch	THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	柄夾持 總長度		柄型式
PRAS-0620-06250D	0.620	0.6250	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0635-06406D	0.635	0.6406	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0651-06563D	0.651	0.6563	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0666-06719D	0.666	0.6719	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0682-06875D	0.682	0.6875	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0698-07031D	0.698	0.7031	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0713-07188D	0.713	0.7188	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0729-07344D	0.729	0.7344	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0745-07500D	0.745	0.7500	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0760-07656D	0.760	0.7656	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0776-07813D	0.776	0.7813	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0791-07969D	0.791	0.7969	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0907-08125D	0.907	0.8125	0.500	7.500	2.500	3	0.375	3	Surface
PRAS-0823-08281D	0.823	0.8281	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0838-08438D	0.838	0.8438	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0854-08594D	0.854	0.8594	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0870-08750D	0.870	0.8750	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0885-08906D	0.885	0.8906	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0901-09063D	0.901	0.9063	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0916-09219D	0.916	0.9219	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0932-09375D	0.932	0.9375	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0948-09531D	0.948	0.9531	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0963-09688D	0.963	0.9688	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0979-09844D	0.979	0.9844	0.750	7.500	2.500	3	0.375	3	Surface
PRAS-0995-10000D	0.995	1.0000	0.750	7.500	2.500	3	0.375	3	Surface



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Aviation Tapered Helix Reamer - with 3-flat holder

高速鋼斜度螺旋三面銼刀



38

inch

Order Code	D1	D2	D3	L	L2	L1	L3	THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	柄夾持 總長度	柄型式
PRASH-0182-01875	0.182	0.1875	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0198-02031	0.198	0.2031	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0213-02188	0.213	0.2188	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0229-02344	0.229	0.2344	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0260-02656	0.260	0.2656	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0276-02813	0.276	0.2813	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0291-02969	0.291	0.2969	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0307-03125	0.307	0.3125	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0323-03281	0.323	0.3281	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0338-03438	0.338	0.3438	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0354-03594	0.354	0.3594	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0370-03750	0.370	0.3750	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0385-03906	0.385	0.3906	0.312	7.000	2.000	3	0.375	3 Surface
PRASH-0401-04063	0.401	0.4063	0.312	7.000	2.000	3	0.375	3 Surface
PRASH-0416-04219	0.416	0.4219	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0432-04375	0.432	0.4375	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0448-04531	0.448	0.4531	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0463-04688	0.463	0.4688	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0479-04844	0.479	0.4844	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0495-05000	0.495	0.5000	0.453	7.000	2.000	3	0.375	3 Surface
PRASH-0510-05156	0.510	0.5156	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0526-05313	0.526	0.5313	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0541-05469	0.541	0.5469	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0557-05625	0.557	0.5625	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0573-05781	0.573	0.5781	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0588-05938	0.588	0.5938	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0604-06094	0.604	0.6094	0.500	7.500	2.500	3	0.375	3 Surface

Aviation Tapered Helix Reamer - with 3-flat holder

高速鋼斜度螺旋三面鉸刀


Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	柄夾持 總長度	柄型式
PRASH-0620-06250	0.620	0.6250	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0635-06406	0.635	0.6406	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0651-06563	0.651	0.6563	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0666-06719	0.666	0.6719	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0682-06875	0.682	0.6875	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0698-07031	0.698	0.7031	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0713-07188	0.713	0.7188	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0729-07344	0.729	0.7344	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0745-07500	0.745	0.7500	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0760-07656	0.760	0.7656	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0776-07813	0.776	0.7813	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0791-07969	0.791	0.7969	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0907-08125	0.907	0.8125	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0823-08281	0.823	0.8281	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0838-08438	0.838	0.8438	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0854-08594	0.854	0.8594	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0870-08750	0.870	0.8750	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0885-08906	0.885	0.8906	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0901-09063	0.901	0.9063	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0916-09219	0.916	0.9219	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0932-09375	0.932	0.9375	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0948-09531	0.948	0.9531	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0963-09688	0.963	0.9688	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0979-09844	0.979	0.9844	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0995-10000	0.995	1.0000	0.750	7.500	2.500	3	0.375	3 Surface



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Aviation Tapered Helix Reamer - with 3-flat holder (Dimand Coating)

鑽石鍍層斜度螺旋三面鉸刀



Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑刃長	小直徑刃長	柄夾持總長度	柄型式
PRASH-0182-01875D	0.182	0.1875	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0198-02031D	0.198	0.2031	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0213-02188D	0.213	0.2188	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0229-02344D	0.229	0.2344	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0260-02656D	0.260	0.2656	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0276-02813D	0.276	0.2813	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0291-02969D	0.291	0.2969	0.312	6.000	2.000	2	0.250	3 Surface
PRASH-0307-03125D	0.307	0.3125	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0323-03281D	0.323	0.3281	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0338-03438D	0.338	0.3438	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0354-03594D	0.354	0.3594	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0370-03750D	0.370	0.3750	0.312	7.000	2.000	3	0.250	3 Surface
PRASH-0385-03906D	0.385	0.3906	0.312	7.000	2.000	3	0.375	3 Surface
PRASH-0401-04063D	0.401	0.4063	0.312	7.000	2.000	3	0.375	3 Surface
PRASH-0416-04219D	0.416	0.4219	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0432-04375D	0.432	0.4375	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0448-04531D	0.448	0.4531	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0463-04688D	0.463	0.4688	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0479-04844D	0.479	0.4844	0.375	7.000	2.000	3	0.375	3 Surface
PRASH-0495-05000D	0.495	0.5000	0.453	7.000	2.000	3	0.375	3 Surface
PRASH-0510-05156D	0.510	0.5156	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0526-05313D	0.526	0.5313	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0541-05469D	0.541	0.5469	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0557-05625D	0.557	0.5625	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0573-05781D	0.573	0.5781	0.453	7.500	2.500	3	0.375	3 Surface
PRASH-0588-05938D	0.588	0.5938	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0604-06094D	0.604	0.6094	0.500	7.500	2.500	3	0.375	3 Surface

- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC

Aviation Tapered Helix Reamer - with 3-flat holder (Dimand Coating)

鑽石鍍層斜度螺旋三面鉸刀

Order Code	D1	D2	D3	L	L2	L1	L3	inch THD
型號	小直徑	大直徑	柄徑	全長	大直徑 刃長	小直徑 刃長	柄夾持 總長度	柄型式
PRASH-0620-06250D	0.620	0.6250	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0635-06406D	0.635	0.6406	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0651-06563D	0.651	0.6563	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0666-06719D	0.666	0.6719	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0682-06875D	0.682	0.6875	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0698-07031D	0.698	0.7031	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0713-07188D	0.713	0.7188	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0729-07344D	0.729	0.7344	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0745-07500D	0.745	0.7500	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0760-07656D	0.760	0.7656	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0776-07813D	0.776	0.7813	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0791-07969D	0.791	0.7969	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0907-08125D	0.907	0.8125	0.500	7.500	2.500	3	0.375	3 Surface
PRASH-0823-08281D	0.823	0.8281	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0838-08438D	0.838	0.8438	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0854-08594D	0.854	0.8594	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0870-08750D	0.870	0.8750	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0885-08906D	0.885	0.8906	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0901-09063D	0.901	0.9063	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0916-09219D	0.916	0.9219	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0932-09375D	0.932	0.9375	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0948-09531D	0.948	0.9531	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0963-09688D	0.963	0.9688	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0979-09844D	0.979	0.9844	0.750	7.500	2.500	3	0.375	3 Surface
PRASH-0995-10000D	0.995	1.0000	0.750	7.500	2.500	3	0.375	3 Surface



- PR
- DD
- GB
- CD
- ST
- NC
- NH
- ACD
- DC
- SACC
- SCC
- SFHC
- AFC